Abraham LD. see Teyhen DS.
Abrams SL. see Johnson MP
Adah FI, Behghuzzi H, Tucci M, Russell G, Tsao A, England B. Effects of dual delivery of statin and vancomycin on segmental bone injury using tricalcium phosphate lysine ceramic in an animal model [abstract]. 35(1):A70-A71.
Ageberg E. see Nilsson G.
Allen D. see Viel JL.
Allen RJ. see Harlow LM.
Allen RJ, Koshi LR. Development of chronic pain secondary to excessive limb immobilization following orthopaedic trauma [abstract]. 35(1):A63-A64.
Allen RJ, Wu C, Horiuchi G, Campbell K. Somatosensory specific desensitization in the treatment of patients with complex regional pain syndrome: effects of pressure desensitization [abstract]. 35(1):A27.
Allen TL. see Harlow LM.
Allison SC. Is the research sound? [guest editorial]. 35(5):271-272.
Altenburger P. see McWhorter JW.
Altun R. see Nyland J.
Alvarez J. see Brechter JH.
Al-Zakwani IS. see Johnson MP.
Andersen M, Lee D, Garvin R, Park K, Kulig K, Colletti P. Morphology of the lumbar multifidus in persons with back pain: a quantitative and qualitative analysis [abstract]. 35(1):A13.
Anderson DA, Pace TA, Krawiec JP, Batts J, Wright LL, Lake DA. The effect of prolonged stretching on hamstring flexibility gains and retention after cessation of stretching [abstract]. 35(1):A2.
Anderson K. see Waters GF.
Andrews JR. see Macrina LC.
Andrews JR. see Reinold MM.
Andrews JR. see Wilk KE.
Anon D. see Cade D.
Antony JA. see Wang SS.
Argento G. see Tremback-Ball A.
Arnold BL, Docherty CL. Low-load force sense deficits are related to frequency of ankle giving-way [abstract]. 35(5):A17.
Arnold CM, Busch AJ, Schachter CL, Harrison L, Olszynski W. The relationship of intrinsic fall risk factors to a recent history of falling in older women with osteoporosis. 35(7):452-460.
Arrigo CA. see Wilk KE.
Arsenault P. see Watson T.
Arslanian LE. see Wilcox III RB.
Asavasopon S, Jankoski J, Godges JJ. Clinical diagnosis of vertebrobasilar insufficiency: resident's case problem. 35(10):645-650.
Augustine JR. see Wilken JM.
Avedisian L-A. see Zazulak BT.
Axe MJ. see Hurd WJ.

Bae H. see Widmalm SE.
Bae KT. see Hastings MK.
Baerheim A. see Jensen R.
Bailie D. see Ellenbecker TS.
Balaicuis J. see McClure P.
Ball V. see Born KM.
Ball V. see Salsich GB.
Ballantyne BT. see Denton J.
Baratta R. see Pariser GL.
Barbano TE. see Downey PA.
Barker S. A comparison of hamstring flexibility using cyclic stretching versus static stretching: investigation of the short-term, intermediate, and long-term effects of cyclic versus static stretching techniques on the hamstring musculature [abstract]. 35(1):A33.
Barker SP, Mawdsley R. Handwashing practices of physical therapists in outpatient settings [abstract. 35(1):A37-A38
Battié MC. see Ropponen A.
Batts J. see Anderson DA.
Baxter RE. see Moore JH.
Baxter RE. Identification of neoplasm mimicking musculoskeletal pathology: a case report involving groin symptoms [abstract. 35(1):A84.
Bayer E. see Ross MD.
Beattie PF, Nelson R, Michener L, Cammaretta J, Donely J. Short- and long-term outcomes following treatment with the VAX-D protocol for patients with chronic, activity-limiting low back pain [abstract]. 35(1):A40-A41.
Beattie PF, Turner C, Dowda M, Michener L, Nelson R. The MedRisk instrument for measuring patient satisfaction with physical therapy care: a psychometric analysis. 35(1):24-32.
Beehn C. see Kelly R.
Behghuzzi H. see Adah FL.
Behzadi M. see McDonough AL.
Bellew JW. Injury prevention and rehabilitation of active older adults [review]. 35(11):774-775.
Beneck GJ, Kulig K, Landel RF, Powers CM. The relationship between lumbar segmental motion and pain response produced by a posterior-to-anterior force in persons with nonspecific low back pain. 35(4):203-209.
Bennett A. see Whitman JM.
Bennett B. see Tremback-Ball A.
Benson CJ. see Hassell L.
Benson CJ, Borgerding L, Kamisky HA, Shinn T, Hummel-Berry K. Assessment of canine normal joint end-feel [abstract]. 35(1):A62.

Abraham LD. see Teyhen DS.
Abrams SL. see Johnson MP
Adah FI, Behghuzzi H, Tucci M, Russell G, Tsao A, England B. Effects of dual delivery of statin and vancomycin on segmental bone injury using tricalcium phosphate lysine ceramic in an animal model [abstract]. 35(1):A70-A71.
Ageberg E. see Nilsson G.
Allen D. see Viel JL.
Allen RJ. see Harlow LM.
Allen RJ, Koshi LR. Development of chronic pain secondary to excessive limb immobilization following orthopaedic trauma [abstract]. 35(1):A63-A64.
Allen RJ, Wu C, Horiuchi G, Campbell K. Somatosensory specific desensitization in the treatment of patients with complex regional pain syndrome: effects of pressure desensitization [abstract]. 35(1):A27.
Allen TL. see Harlow LM.
Allison SC. Is the research sound? [guest editorial]. 35(5):271-272.
Altenburger P. see McWhorter JW.
Altun R. see Nyland J.
Alvarez J. see Brechter JH.
Al-Zakwani IS. see Johnson MP.
Andersen M, Lee D, Garvin R, Park K, Kulig K, Colletti P. Morphology of the lumbar multifidus in persons with back pain: a quantitative and qualitative analysis [abstract]. 35(1):A13.
Anderson DA, Pace TA, Krawiec JP, Batts J, Wright LL, Lake DA. The effect of prolonged stretching on hamstring flexibility gains and retention after cessation of stretching [abstract]. 35(1):A2.
Anderson K. see Waters GF.
Andrews JR. see Macrina LC.
Andrews JR. see Reinold MM.
Andrews JR. see Wilk KE.
Anon D. see Cade D.
Antony JA. see Wang SS.
Argento G. see Tremback-Ball A.
Arnold BL, Docherty CL. Low-load force sense deficits are related to frequency of ankle giving-way [abstract]. 35(5):A17.
Arnold CM, Busch AJ, Schachter CL, Harrison L, Olszynski W. The relationship of intrinsic fall risk factors to a recent history of falling in older women with osteoporosis. 35(7):452-460.
Arrigo CA. see Wilk KE.
Arsenault P. see Watson T.
Arslanian LE. see Wilcox III RB.
Asavasopon S, Jankoski J, Godges JJ. Clinical diagnosis of vertebrobasilar insufficiency: resident's case problem. 35(10):645-650.
Augustine JR. see Wilken JM.
Avedisian L-A. see Zazulak BT.
Axe MJ. see Hurd WJ.

Bae H. see Widmalm SE.
Bae KT. see Hastings MK.
Baerheim A. see Jensen R.
Bailie D. see Ellenbecker TS.
Balaicuis J. see McClure P.
Ball V. see Born KM.
Ball V. see Salsich GB.
Ballantyne BT. see Denton J.
Baratta R. see Pariser GL.
Barbano TE. see Downey PA.
Barker S. A comparison of hamstring flexibility using cyclic stretching versus static stretching: investigation of the short-term, intermediate, and long-term effects of cyclic versus static stretching techniques on the hamstring musculature [abstract]. 35(1):A33.
Barker SP, Mawdsley R. Handwashing practices of physical therapists in outpatient settings [abstract. 35(1):A37-A38
Battié MC. see Ropponen A.
Batts J. see Anderson DA.
Baxter RE. see Moore JH.
Baxter RE. Identification of neoplasm mimicking musculoskeletal pathology: a case report involving groin symptoms [abstract. 35(1):A84.
Bayer E. see Ross MD.
Beattie PF, Nelson R, Michener L, Cammaretta J, Donely J. Short- and long-term outcomes following treatment with the VAX-D protocol for patients with chronic, activity-limiting low back pain [abstract]. 35(1):A40-A41.
Beattie PF, Turner C, Dowda M, Michener L, Nelson R. The MedRisk instrument for measuring patient satisfaction with physical therapy care: a psychometric analysis. 35(1):24-32.
Beehn C. see Kelly R.
Behghuzzi H. see Adah FL.
Behzadi M. see McDonough AL.
Bellew JW. Injury prevention and rehabilitation of active older adults [review]. 35(11):774-775.
Beneck GJ, Kulig K, Landel RF, Powers CM. The relationship between lumbar segmental motion and pain response produced by a posterior-to-anterior force in persons with nonspecific low back pain. 35(4):203-209.
Bennett A. see Whitman JM.
Bennett B. see Tremback-Ball A.
Benson CJ. see Hassell L.
Benson CJ, Borgerding L, Kamisky HA, Shinn T, Hummel-Berry K. Assessment of canine normal joint end-feel [abstract]. 35(1):A62.

Benson CJ, Hummel-Berry K. An unusual clinical presentation suggestive of friction fibrosis of the superficial radial nerve [abstract]. 35(1):A16-A17.
Bergeron AL. see Papazis J.
Bergeron AL, Jackson IC, Papazis J. Rehabilitation of a combat wounded patient with multiple limb amputations [abstract]. 35(1):A59.
Berkowitz MJ. see Freccero DM.
Berlet GC. see Hyer CF.
Berry K. see McWhorter JW.
Besser M. see Gustavsen GP.
Bhargava A. see Stephens RA.
Bialosky JE. see George SZ.
Biederman RE. Pharmacology in rehabilitation: nonsteroidal anti-inflammatory agent. 35(6):356-367.
Bielefeld T, Neumann DA. The unstable metacarpophalangeal joint in rheumatoid arthritis: anatomy, pathomechanics, and physical rehabilitation considerations. 35(8):502-520.
Biely SA. Physical therapy management of patients with whiplash in an outpatient setting: an evidence based practice pattern [abstract]. 35(1):A57-A58.
Bierma-Zeinstra SBM. see van Os AG.
Bilgin S. see Gard K.
Billek-Sawhney B. see McGivern KL.
Bilodeau M. see Williams DM.
Bioleau C. see Lampe KE.
Bisset L. see Vicenzino B.
Blaszka B. see Phillips HJ.
Blessing CD. Therapeutic exercise for musculoskeletal injuries, 2nd edition [review]. 35(11):775-776.
Bloom NJ, Sahrmann SA. Groin pain caused by movement system impairments: a case report [abstract]. 35(1):A53.
Blythe A. see Jefferson JR.
Bohnert KL. see Sinacore DR.
Boissonnault WG. see Leerar P.
Boissonnault WG. see Thein-Nissenbaum J.
Boissonnault WG, Bryan JM. Thrust joint manipulation clinical education opportunities for professional degree physical therapy students. 35(7):416-423.
Boissonnault WG, Bryan JM, Little S, Schaars E, Somerville C. Thrust joint manipulation clinical education opportunities for professional degree physical therapy students [abstract]. 35(1):A36.
Bolgla LA, Uhl TL. Electromyographic analysis of hip rehabilitation exercises in a group of healthy subjects. 35(8):487-494.
Bonin KM. see Quick NE.
Borgerding L. see Benson CJ.
Borman NP, Smith SS. Effect of position of stretch on hamstring muscle length, lumbar active range of motion, and lumbar curvature in healthy adults [abstract]. 35(1):A41
Born KM. see Salsich GB.
Born KM, Ball V, Long F, Salsich GB. Comparison of tibiofemoral rotation alignment, patellar alignment, and patellofemoral joint contact area in females with and without patellofemoral pain [abstract]. 35(1):A46-A47.
Borrell D. see Post R.
Borsa PA. see Tillman MD.
Borsa PA. see Wikstrom EA.
Borstad JD, Ludewig PM. The effect of long versus short pectoralis minor resting length on scapular kinematics in healthy individuals. 35(4):227-238.
Borstad JD, Ludewig PM. Comparison of 3 stretches for the pectoralis minor muscle [abstract]. 35(1):A7.
Bosely E. see Davis DS.
Boxer JA. see Garrison J.
Boyce DA. see Johnson N.
Boyce DA. see Liebert K.
Boyle KL. see Demske J.
Boyle KL. Management of a female with low back pain and sacroiliac joint pain with myokinematic restoration: a case report [abstract]. 35(1):A51-A52.
Boyles RE. see Teyhen DS.
Boyles RE. see Walker MJ.
Boyles RE. see Young BA.
Boyles RE, Walker M, Young BA, Stunce JB, Wainner RS. Manipulation versus graded mobilization for treatment of mechanical neck disorders [abstract]. 35(1):A46.
Brandjerporn M. see Vicenzino B.
Brannock MC, Chick WT, Eastwood LS, English RA, Uhl TL. The relationship between isokinetic peak torque or testing and star excursion balance test [abstract]. 35(1):A83.
Brannock MC, Eastwood LS, Chick WT, English RA, Uhl TL. The relationship between lower extremity isokinetic work and single leg functional hop work test [abstract]. 35(1):A83.
Brechter JH. see Vuong AT.
Brechter JH, Cheatham SW, Alvarez J, Phelps N, Klick P, Madden A, Garber MB. Assessment of anterior to posterior accessory mobility in the glenohumeral joint [abstract]. 35(1):A31.
Brechter JH, Crlenjak M, Wells S, Sather J. Comparison of the prevalence of positive adverse mechanical tension tests in persons with and without pain complaints [abstract]. 35(1):A28.
Brechter JH, Schroeckenstein M, Irvine L, Gabrych K. Anterior to posterior accessory joint mobilizations improve internal rotation in the glenohumeral joint [abstract]. 35(1):A30.
Breitkopf N. see Ekstrom RA.

Brennan GP. see Hunter SJ.
Brennan GP, Fritz JM, Mundorff M, Hunter S, Flynn TW, Whitman JM. The impact of a manual therapy education intervention on clinical outcomes of patients with neck pain [abstract]. 35(1):A8.
Brenner AK. Use of lumbosacral region manipulation and therapeutic exercises for a patient with a lumbosacral transitional vertebra and low back pain. 35(6):368-376.
Bressler K. see Hassell L.
Brewer BA. see Sheldon MR.
Briffa NK. see Negus V.
Briggs M. see Inselman B.
Brodine SK. see Rauh MJ.
Brosky J. see Johnson N.
Brosky J. see Liebert K.
Brosky J. see Nyland J.
Browder DA. Physical examination of the spine [review]. 35(9):614.
Browder DA, Erhard RE. Decision making for a painful hip: a case requiring referral. 35(11):738-744.
Brown CN, Ross SE, Guskiewicz KM. Comparing ankle joint ability of individuals with unilateral and bilateral chronic ankle instability using the ankle assessment questionnaire [abstract]. 35(5):A21.
Brown L. see Rossi MD.
Bryan JM. see Boissonnault WG.
Buchanan KR, Davis IS. The relationship between forefoot, midfoot, and rearfoot static alignment in pain-free individuals. 35(9):559-566.
Buchanan TS. see Manal K.
Buckley WL. see Gribble PA.
Bull J. see McPherson SL.
Bunch SE. see McClinton SM.
Bundy AC. see Hiller CE.
Bunn JY. see Henry SM.
Burks RT. see Gerber JP.
Burnfield JM. see Weimer KM.
Busch AJ. see Arnold CM.
Byl N. see Viel JL.

Caborn D. see Nyland J.
Caceras M. see Friel K.
Cade D, Anon D, Cox S, Massimino A, Sprengel J, Stammen K. The influence of hip joint position on the Ober test [abstract]. 35(1):A38.
Cahue S. see Chang AH.
Cahue S. see Chang AH.
Cain K. see Woodall W.
Cain LE. see Reinold MM.
Cammaretta J. see Beattie PF.
Campbell K. see Allen RJ.
Candela L. see Wallmann H.
Carter SK, Rizzo J, Friedkin R. Factors that influence physical therapy utilization for musculoskeletal conditions [abstract]. 35(1):A23.
Catuccio D. see Garbalosa JC.
Caulfield B. see Delahunt E.
Caulfield B. see Monaghan K.
Cavannaugh JT, Guskiewicz KM, Stergiou N. New insights into the recovery of postural control after cerebral concussion [abstract]. 35(1):A77-A78.
Chacko P, Mulhall ML, Vidal P. The importance of differential diagnosis of hip pain: a case of nontraumatic avascular necrosis [abstract]. 35(1):A15-A16.
Chambers CV. see Gustavsen GP.
Chandra A. see Johnson EK.
Chang AH, Hayes K, Hurwitz D, Genge R, Song J, Cahue S, Dunlop D, Sharma L. The hip abduction moment and progression of knee osteoarthritis [abstract]. 35(1):A2
Chang AH, Hurwitz D, Hayes K, Dunlop D, Song J, Genge R, Cahue S, Sharma L. Toe-out angle during gait and protection against progression of medial tibiofemoral knee osteoarthritis [abstract]. 35(1):A21.
Chase A. see Quick NE.
Cheatham SW. see Brechter JH.
Chen J. see Lewis CL.
Chen J, Lewis CL, Mueller MJ, Sahrmann SA. Effect of passive leg support on muscle activation during prone hip extension [abstract]. 35(1):A35.
Chen L-Tsun. see Maitland ME.
Chiarello CM. see Johnson EK.
Chiarello CM. The relationship between anterior tibial translation and estrogen and progesterone throughout the menstrual cycle [abstract]. 35(1):A1-A2.
Chick WT. see Brannock MC.
Childs JD. see Cleland JA.
Childs JD. see George SZ.
Childs JD. see Piva SR.
Childs JD. see Teyhen DS.
Childs JD. see Whitman JM.
Childs JD. see Young BA.
Childs JD, Flynn TW, Fritz JM, Piva SR, Whitman JM, Wainner RS, Greenman PE. Screening for vertebrobasilar insufficiency in patients with neck pain: manual therapy decision-making in the presence of uncertainty. 35(5):300-306.
Childs JD, Whitman JM. Advancing physical therapy practice: the accountable practitioner [guest editorial]. 35(10):624-627.
Childs JD, Whitman JM, Pugia ML, Sizer PS, Flynn TW, Delitto A. Competency in musculoskeletal medicine: physical therapists versus physicians [abstract]. 35(1):A77.

Ching K. see Hassell L.
Chirieleson S. see Gurney B.
Chiu THF. see Chiu TTW.
Chiu TTW, Law EYH, Chiu THF. Performance of the craniocervical flexion test in subjects with and without chronic neck pain. 35(9):567-571.
Christian EL. see Shropshire J.
Christie DS. see Royer PJ.
Chumanov ES. see Hoerth D.
Chumanov ES, Thelen D, Heiderscheit B. Comparison of onset determination criteria using simulated EMG signals [abstract]. 35(1):A86.
Cieminski CJ. see Ludewig PM.
Cioffredi W. see Stowell T.
Clavier J. see Tyler TF.
Cleland JA. see Decoster LC.
Cleland JA. see Stowell T.
Cleland JA, Childs JD, Palmer J, McRae M. Slump stretching in the management of non-radicular low back pain: a randomized clinical trial [abstract]. 35(1):A11.
Cleland JA, Whitman JM, Fritz JM, Palmer JA. Manual physical therapy, cervical traction, and strengthening exercises in patients with cervical radiculopathy: a case series. 35(12):802-811
Cockrell SD. see Hubbard JK.
Coglianese P. see Olson V.
Cohen L. see Hyland M.
Cohen S. see Manal K.
Cole K. see Shields RK.
Colletti P. see Andersen M.
Colletti P. see Sum J.
Collon DJ. see Waters GF.
Commean PK. see Hastings MK.
Constantinou M, Vicenzino B. Differential diagnosis of a soft tissue mass in the calf. 35(2):88-94.
Contino C. see Post R.
Contreras A. Lower extremity injury outcomes utilizing activity-specific sports medicine and rehabilitation techniques [abstract]. 35(1):A84.
Cook K. see Hart DL.
Cooper LD, Threlkeld AJ. Lower extremity muscle activity changes during treadmill walking at multiple speeds and levels of body weight suspension [abstract]. 35(1):A24.
Cooper LD, Threlkeld AJ. Temporospatial changes during treadmill walking at multiple speeds and levels of body weight suspension [abstract]. 35(1):A66-A67.
Cordell S. see Cuffia B.
Cornbleet SL, Sahrmann SA, Norton BJ. Strengthening the hip lateral rotator musculature to alter the alignment of a patient with medial knee pain: a case report [abstract]. 35(1):A56.
Cornwall MW. see McPoil TG.
Correia K. Treatment of musculoskeletal and balance impairments in adolescent idiopathic scoliosis [abstract]. 35(1):A51.
Corsbie J. see De Noronha M.
Cousino ES. see Kaminski TW.
Cowley HR, Ford KR, Myer GD, Kernozek TW, Hewett TE. Bilateral asymmetry in joint moments during cutting and landing maneuvers in 4 different populations of high school female athletes [abstract] 35(1):A75.
Cox S. see Cade D.
Craig J. see Horbacewicz JS.
Crenshaw K. see Macrina LC.
Creta D. see Roi GS.
Crlenjak M. see Brechter JH.
Crossley KL. see Johnson MP.
Cruz V. see Horbacewicz JS.
CSM Orthopaedic and Sports Physical Therapy Section Programming Schedule 2005. 35(1):34-42.
Cuffia B, Selby-Silverstein L, Muth S, Cordell S, Murgus J, Levy D. The relationship between floor to waist lift and physical therapy program completion in adult men who are homeless [abstract]. 35(1):A52.
Curbow-Wilcox K. see Weber M.

Dacko SM. see Gustavsen GP.
Danoff JV. see Popovich JM.
Darnell R. see Hess SA.
Davda S. see McDonough AL.
Davenport TE, Watts HG, Kulig K, Resnik C. Current status and correlates of physicians' referral diagnoses for physical therapy. 35(9):572-579.
Davenport TE, Watts HG, Kulig K, Resnik C. Current status and correlates of physicians' referral diagnoses for physical therapy [abstract]. 35(1):A24-A25.
Davies GJ. see Jennings J.
Davis DS, Bosely E, Gronell L, Keeney S, Rossetti A, Mancinelli C, Petronis JJ. Biomechanical factors that predict vertical jump performance in male and female recreational athletes [abstract]. 35(1):A82-A83.
Davis IS. see Buchanan KR.
Davis IS. see Denton J.
Davis IS. Foot structure, mechanics, and injury risk - plenary lecture V [supplement]. 35(5):A15-A16.
de Bie RA. see van Os AG.
De Haven KE. see Houck JR.
De Noronha M, Refshauge KM, Kilbreath S, Crosbie J, Herbert RD. Landing from a jump: pilot of a new jump test [abstract]. 35(5):A20.
DeBerardino TM. see Moore JH.
DeBerardino TM. see Rosenthal MD.
DeBerardino TM. see Weishaar MD.

Decoster LC, Cleland JA, Altieri C, Russell P. The effects of hamstring stretching on range of motion: a systematic literature review. 35(6):377-387.
Degan T. see Rapp A.
Deiters HM. see Teyhen DS.
DeJoe K. see Woehrle J.
Del Toro YM. see Teyhen DS.
Delahunt E. see Monaghan K.
Delahunt E, Monaghan K, Caulfield B. Preliminary results from an investigation into the nature of movement dysfunction during running in individuals with functional ankle instability [abstract]. 35(5):A19.
Delitto A. see Childs JD.
Demske J, Boyle KL. Management of a female with low back pain (LBP) and right (R) leg pain with pelvic repositioning exercises [abstract]. 35(1):A64.
Denegar CR. see Gribble PA.
Denton J, Willson JD, Ballantyne BT, Davis IS. The addition of the Protonics brace system to a rehabilitation protocol to address patellofemoral joint syndrome. 35(4):210-219.
Desai H. see Eifert-Mangine M.
Deschenes BK, Smith PS, Williamson J. Knowledge of physical activity benefits, information sources and participation [abstract]. 35(1):A44-A45.
Devine NL. see Larsen BT.
Dexter JG. The effect of long-duration, low-load calf stretching on peak plantar pressures in the forefoot during normal-speed walking [abstract]. 35(1):A60-A61.
Deyle GD. see Walker MJ.
Deyle GD. Musculoskeletal imaging in physical therapist practice. 35(11):708-721.
Diamond JJ. see Gustavsen GP.
Dibble LE. see Gerber JP.
Dick M. see Ekstrom RA.
Dietrich M. see Robinson TK.
DiGiovanni BF. see Nawoczenski DA.
Djurdjanovic D. see Widmalm SE.
Docherty CL. see Arnold BL.
Docherty CL, Valovich McLeod TC, Fox J, Shultz SJ. Postural control deficits in participants with functional ankle instability as measured by the balance error scoring system [abstract]. 35(5):A17.
Donachy JE. see Shropshire J.
Donald DA. see George SZ.
Donely J. see Beattie PF.
Donovan KM. see Sheldon MR.
Dowda M. see Beattie PF.
Downey PA, Barbano TE, Kapur R, Sciote JJ, Siegel MI, Mooney MP. Craniosacral therapy and intracranial pressure: is there biology behind the practice? [abstract]. 35(1):A23-A24.
Doyle K. see Jeno SH.
Drake P. see Hassell L.
Droge J. see Gerber JP.
Dudley K. see Peacock N.
Dugas JR. see Reinold MM.
Dugas JR. see Wilk KE.
Dumholdt E. see Friel K.
Dumholdt E. see Leerar P.
Dunay H. see McDonough AL.
Duncan A. see Houck JR.
Dunker J. see Olson L.
Dunlop D. see Chang AH.
Dunlop D. see Chang AH.
Dunn K. see Olson V.
Dunning T, Rowe J, Shafer L, Smith R, Voelker K, West N, Mattson DJ. The relationship between hip strength and knee pain in a young adult female population [abstract]. 35(1):A66.
Duquet W. see Eechaute C.
Duszak KL. Differential diagnosis of the cervical spine using McKenzie mechanical diagnosis and therapy [abstract]. 35(1):A68.

Eadie NT. see Wadsworth DJS.
Eastwood LS. see Brannock MC.
Ebaugh D. see Gard K.
Ebaugh DD, Sakaitis C. A comparison of 3-dimensional scapulothoracic motion and EMG activity in individuals with normal and abnormal scapulothoracic motion [abstract]. 35(1):A42.
Eberle BL. A multimodal physical therapy treatment approach for cervical spine sprain/strain: an outcome study [abstract]. 35(1):A28-A29.
Ebersole KT. Introduction to athletic training, 2nd edition [review]. 35(6):397-398.
Echols L. see Watson T.
Eckenrode BJ. Traumatic infrapatellar fat pad hyperemia resulting in gait dysfunction and impaired quadriceps function [abstract]. 35(1):A15.
Edelist DD. see Gustavsen GP.
Edwards MS. see Larsen BT.
Eechaute C, Vaes P, Van Gheluwe B, Duquet W. Effects of a 6-week wobble board training program on a sudden inversion in the standing position in patients with functional ankle instability [abstract]. 35(5):A21.
Ehrhardt A. see Woodall W.
Eichelberger TD. see Williams DM.
Eifert-Mangine M, Minning S, Desai H, Papania N, Mangine RE, Halloway J. Test-retest reliability of the Biodex gait trainer [abstract]. 35(1):A31.
Eiland G. Management strategies in athletic training, 3rd edition [review]. 35(9):614.
Eils E. Rehabilitation of the unstable ankle - plenary lecture IV [supplement]. 35(5):A13-A15.
Ekdahl C. see Nilsson G.

Ekstrom RA, Breitkopf N, Dick M, Rothschadl L, O'Tool B. Force-electromyographic relationship using percentages of the maximum voluntary isometric contraction as a measure of force for the lumbar multifidi and longissimus thoracis muscles [abstract]. 35(1):A53-A54.
Elazzazi A. see Kohia M.
Ellenbecker TS. see Winters MJ.
Ellenbecker TS, Nazal F, Roetert P, Bailie D, Stark R. Shoulder rating scale data from healthy unilaterally dominant overhead athletes [abstract]. 35(1):A79
Ellis C, Himbert A, Thompson AW, Mincer A, Lake DA. The effect of Biofreeze on delayed onset muscle soreness [abstract]. 35(1):A34
Elorriaga-Claraco A. see Gustavsen GP.
Eneroth M. see Nilsson G.
English B. see Adah FL.
English MA. see Wang SS.
English RA. see Brannock MC.
Ennis TY. see Hamstra-Wright KL.
Enrico P. see Wies JT.
Erhard RE. see Browder DA.
Erhard RE. see Mamula CJ.
Erickson MR. Neuromuscular impairments as primary contributing factors to lower extremity overuse syndromes in a marathon runner [abstract]. 35(1):A54.
Evenson J. see Parker MG.

Farrell KP, Lampe KE. Adhesive capsulitis following electrical shock [abstract]. 35(1):A61.
Fellows D. see Rosenthal MD.
Fellows DW. see Moore JH.
Fillmore M. Epidemiology of pediatric sports injuries: individual sports [review]. 35(11):774.
Findlay S. see McDonough AL.
Finneran JJ. see McCabe RA.
Fithian DC. Invited commentary. 35(2):62-64.
Flanigan R. see Nawoczenski DA.
Flynn TW. see Brennan GP.
Flynn TW. see Childs JD.
Flynn TW. see Fritz JM.
Flynn TW. see Scherer SA.
Flynn TW. see Teyhen DS.
Flynn TW. see Whitman JM.
Flynn TW. see Young BA.
Fogg R. see Peacock N.
Forcinito G. see Greene BL.
Ford KR. see Cowley HR.
Ford KR. see Paterno MV.
Foster CL. see Wang SS.
Fox J. see Docherty CL.
Freccero DM, Berkowitz MJ. The relationship between tears of the fibularis (peroneus) brevis tendon and distal extent of its muscle belly [abstract]. 35(5):A25.
Friedkin R. see Carter SK.
Friel K, Dumholdt E, Smith DG. Physical and functional measures related to low back pain in individuals with lower limb amputation: an exploratory pilot system [abstract]. 35(1):A13.
Friel K, McLean N, Meyers C, Caceras M. Relationship of inversion ankle sprain to hip muscle weakness [abstract]. 35(1):A49-A50.
Friis P. see Hess SA.
Fritz JM. see Brennan GP.
Fritz JM. see Childs JD.
Fritz JM. see Cleland JAA.
Fritz JM. see George SZ.
Fritz JM. see Hunter SJ.
Fritz JM. see Moffit S.
Fritz JM. see Passey EJ.
Fritz JM. see Rodriguez BJ.
Fritz JM. see Whitman JM.
Fritz JM, Flynn TW. Autonomy in physical therapy: less is more [guest editorial]. 35(11):696-698.
Frogg S. see Levine D.

Gabrych K. see Brechter JH.
Gagne T. see
Garbalosa JC.
Gallucci J. see Olson V.
Garbalosa JC.
Gagne T, Catuccio D. The effect of foot flexibility on electromyographic activity and rear foot kinematics in asymptomatic persons [abstract]. 35(1):A45.
Garber MB. see Brechter JH.
Garber MB. see Walker MJ.
Garber MB. see Whitman JM.
Garber MB. Diagnostic imaging and differential diagnosis in 2 case reports. 35(11):745-754.
Gard K, Ebaugh D, Bilgin S, Sakaitis C. Interrater reliability of a proposed scapular classification system [abstract]. 35(1):A7.
Garrison J, Boxer JA, Kerrigan DC, Ingersoll CD. Males produce greater hip internal rotation and knee varus moments than females during landing [abstract]. 35(1):A76-A77.
Garvin R. see Andersen M.
Gay J. see McGivern KL.
Geiser CF. Essentials of primary care sports medicine [review]. 35(3):192-193.
Genge R. see Chang AH.
George SZ, Bialosky JE, Donald DA. The centralization phenomenon and fear-avoidance beliefs as prognostic factors for acute low back

pain: a preliminary investigation involving patients classified for specific exercise. 35(9):580-588.
George SZ, Fritz JM, Childs JD. Sex differences in response to physical therapy interventions for low back pain [abstract]. 35(1):A58.
Gerber JP, Marcus RL, Dibble LE, Droge J, Burks RT, LaStayo PC The effect of a high-intensity negative resistance intervention on muscle structure, function, and performance acutely following anterior cruciate ligament reconstruction [abstract]. 35(1):A1
Gerber JP, Marcus RL, Dibble LE, Droge J, Burks RT, LaStayo PC. Safety and feasibility of a high force eccentric resistance exercise regime acutely after anterior cruciate ligament reconstruction [abstract]. 35(1):A60.
Gerber LH. see Popovich JM.
Getsoian S. see Glasoe WM.
Gibbons LE. see Ropponen A.
Gilbert MM. see Hanchard NCA.
Gill H. see Whitman JM.
Gill NW. see Majkowski GR.
Gill NW, Teyhen DS. Improved spine kinematics and transversus abdominus function immediately following lumbopelvic manipulation: a video fluoroscopy and dynamic ultrasound imaging analysis [abstract]. 35(1):A15.
Gjerde PE, Worrell TW. Postoperative management of flatfoot surgery in a 19-year-old male: a case report [abstract]. 35(1):A43.
Glanz D. see Olson L.
Glaser DL. see Leggin BG.
Glasoe WM, Getsoian S, Myers M, Komnick M, Kolkebeck D, Oswald W, Liakos P. Criterion-related validity of a clinical measure of dorsal first ray mobility. 35(9):589-593.
Godges JJ. see Asavasopon S.
Goh H-Ting. see Lin S-Jen.
Goodnite EA. see Piva SR.
Goodstadt NM, Manal TJ. Treatment of patellofemoral pain 1 to 2 years after a contusion: a case series [abstract]. 35(1):A48.
Goss DL. see Moore JH.
Goss DL. see Weishaar MD.
Goss DL, Saylor MH, Tortorelli JR. Validation of a running shoe clinic concept [abstract]. 35(1):A85.
Gracey GC. see Popovich JM.
Gray JC, Nava N, Norman LJ, Nygaard R, Miller J. The validity and reliability of the sharp functional activity surveys, part III back and hip [abstract]. 35(1):A42-A43.
Gray JC, Nygaard R, Miller J, Nava N, Norman LJ. The validity and reliability of the sharp functional activity surveys, part I neck and shoulder [abstract]. 35(1):A42.
Grbacac K. see Watson T.
Greathouse DG. see Kelly R.
Greathouse DG. see Murphy BP.
Green A. see Lewis JS.
Green RA. see Weishaar MD.
Greene BL. see Milidonis MK.
Greene BL, Forcinito G, Kaminski A, Neal K. Factors related to physical activity behavior in adults with arthritis [abstract]. 35(1):A17-A18.
Greenfield B. Primary care for the physical therapist: examination and triage [review]. 35(6):398-399.
Greenman PE. see Childs JD.
Greer J. see Woodall W.
Grello L. see Post R.
Greomer A. see Stowell T.
Gribble PA, Hertel J, Denegar CR, Buckley WL. Chronic ankle instability and fatigue create proximal joint alterations during performance of the star excursion balance test [abstract]. 35(5):A18.
Gronell L. see Davis DS.
Gronley JK. see Gutierrez DD.
Gubler HC, Marx BJ, Leonard CT. Comparison of the myotonometer with SEMG and isokinetic dynamometry as measures of strength during isometric knee extension [abstract]. 35(1):A85-A86.
Gurchiek LR. see Kovaleski JE.
Gurney B, Wascher D, Chirieleison S, Hutchison S. The absorption of dexamethasone sodium phosphate into connective tissue of humans using iontophoresis [abstract]. 35(1):A24.
Guskiewicz KM. see Brown CN.
Guskiewicz KM. see Cavannaugh JT.
Guskiewicz KM. see Ross SE.
Gustafson S. see Shropshire J.
Gustavsen GP, Elorriaga-Claraco A, Edelist DD, Chambers CV, Diamond JJ, Besser M, McShane JM, Dacko SM. A single fibular (peroneal) nerve stimulation improves neuromuscular deficits in chronic functional ankle instability [abstract]. 35(5):A23.
Gustavsen GP, Kaminski TW. A single electrical stimulation of the fibular (peroneal) nerve improves symptoms, seen in chronic functional ankle instability and impacts dorsiflexor/plantar flexor reciprocal muscle group ratios [abstract]. 35(5):A22.
Gutierrez DD, Mulroy SJ, Newsam CJ, Gronley JK, Perry J. The influence of gender on wheelchair propulsion characteristics [abstract]. 35(1):A61-A62.

Hale SA, Hertel J. Efficacy of a 4-week rehabilitation program in managing chronic ankle instability [abstract]. 35(5):A22.

Halle JS. see Kelly R.
Halloway J. see Eifert-Mangine M.
Hamstra-Wright KL, Swanik CB, Ennis TY, Swanik KA. Joint stiffness and pain in individuals with patellofemoral syndrome. 35(8):495-501.
Hanchard NCA, Howe TE, Gilbert MM. Diagnosis of shoulder pain by history and selective tissue tension: agreement between assessors. 35(3):147-153.
Hancock MJ, Herbert RD, Stewart M. Prediction of outcome after ankle fracture. 35(12):786-792
Hansford A. see Kelly R.
Harcourt AB. see Wang SS.
Harlow LM, Kumiji KT, Allen TL, Allen RJ. Effect of perceived psychogenic stress on pain intensity and timing of increased pain episodes in patients with fibromyalgia syndrome [abstract]. 35(1):A17.
Harmsen WS. see Youdas JW.
Harris-Love MO. see Popovich JM.
Harrison L. see Arnold CM.
Hart DL. see Werneke MW.
Hart DL, Cook K, Mioduski J, Teal C. Assessing functional outcomes measures for people with shoulder impairments through computerized adaptive testing [abstract]. 35(1):A22.
Hart DL, Mioduski J, Stratford P. Improving functional outcomes measures for people with lower extremity impairments through computerized adaptive testing [abstract]. 35(1):A21-A22.
Harvey W. see McWhorter JW.
Hassell L, Ching K, Drake P, Benson CJ, York S, Hummel-Berry K, Teeny S, Bressler K. Functional outcomes following total knee arthroplasty with and without continuous passive motion [abstract]. 35(1):A52.
Hassett DR. see Ludewig PM.
Hasson S. see Kohia M.
Hastings MK. see Sinacore DR.
Hastings MK, Sinacore DR, Commean PK, Bae KT. Tarsal and metatarsal bone density assessment using volumetric quantitative computed tomography in subjects with and without Charcot changes [abstract]. 35(1):A19.
Hata R. see Romanick MA.
Hawkinson B. see Rapp A.
Hayes K. see Chang AH.
Hayes MH, Wendl PM, Sahrmann SA, Van Dillen LR. Does tibiofemoral joint motion affect passive hip rotation measures in unimpaired individuals? [abstract]. 35(1):A38.
Hazelman B. see Wies JT.
Heiderscheit B. see Chumanov ES.
Heiderscheit B. see Hoerth D.
Heiland D. see McClure P.
Heitman RJ. see Kovaleski JE.
Henry SM, Hitt JR, Jones SL, Bunn JY. Altered kinematic patterns in subjects with low back pain following postural perturbations [abstract]. 35(1):A55.
Henry SM, Westervelt KC. The use of real-time ultrasound feedback in teaching abdominal hollowing exercises to healthy subjects. 35(6):338-345.
Herbert RD. see De Noronha M.
Herbert RD. see Hancock MJ.
Herbert RD. see Hiller CE.
Hertel J. see Gribble PA.
Hertel J. see Hale SA.
Hertel J. see Hubbard TJ.
Hertel J. see Olmsted-Kramer LC.
Hertel J. The complex etiology of lateral ankle instability - plenary lecture I [supplement]. 35(5):A9-A10.
Hertel J, Kaminski TW. Second international ankle symposium - introduction [supplement]. 35(5):A1.
Hertel J, Kaminski TW. Second international ankle symposium - summary statement [supplement]. 35(5):A2-A6.
Hess SA, Richardson C, Darnell R, Friis P, Lisle D, Myers P. Timing of rotator cuff activation during shoulder external rotation in throwers with and without symptoms of pain. 35(12):812-820
Hewett TE. see Cowley HR.
Hewett TE. see Paterno MV.
Hewett TE. see Zazulak BT.
Heyl R. see Paterno MV.
Hicks J. see Olson L.
Higbee C. see McWhorter JW.
Hiller CE, Refshauge KM, Bundy AC, Herbert RD, Kilbreath SL. Development and testing of a tool for measuring functional ankle instability [abstract]. 35(5):A20.
Himbert A. see Ellis C.
Hirsh BE. see Saldanha V.
Hitt JR. see Henry SM.
Ho LS, Siu SM. Outcomes and prognosis of whiplash associated disorders: a review of the literature [abstract]. 35(1):A12.
Hodges PW. Ultrasound imaging in rehabilitation: just a fad? [guest editorial]. 35(6):333-337.
Hoerth D, Heiderscheit B, Chumanov ES, Thelen B, Swanson S, Thelen D. Kinematic analysis of a hamstring injury: a case study [abstract]. 35(1):A78.
Hoffman S. Clinical examination of the shoulder [review]. 35(3):191.
Hollis JM. see Kovaleski JE.
Hollman JH. see Youdas JW.
Hopper D. see Negus V.

Horbacewicz JS, Craig J, Cruz V, Krasner M, Suarez R. Association between lateral epicondylalgia, shoulder strength and shoulder range of motion [abstract]. 35(1):A31-A32.
Horiuchi G. see Allen RJ.
Horton P. see Watson CJ.
Houck JR, Duncan A, De Haven KE. Knee and hip angle and moment adaptations during cutting tasks in subjects with anterior cruciate ligament deficiency classified as noncopers. 35(8):531-540.
Howard PD, Hunt UK, Markowitz SA, Marzano CM, Shelly GM, McCoy W, Pitts C. The wrist and hand: orthopaedic teaching practicum [abstract]. 35(1):A45.
Howe TE. see Hanchard NCA.
Hubbard JK, Huffman T, Cockrell SD. The effect of grade IV P-A mobilizations on lumbar flexion and extension ROM [abstract]. 35(1):A39-A40.
Hubbard JK, Kiker R. A comparison of 2 methods of increasing lumbar extension in healthy subjects [abstract]. 35(1):A40.
Hubbard TJ, Hertel J, Sherbondy P. Anterior fibular position in those with self-reported unilateral and bilateral chronic ankle instability [abstract]. 35(5):A20.
Huffman T. see Hubbard JK.
Hummel-Berry K. see Benson CJ.
Hummel-Berry K. see Hassell L.
Humphreys H. see Wies JT.
Hunt UK. see Howard PD.
Hunter S. see Brennan GP.
Hunter SJ, Fritz JM, Brennan GP. Variables associated with outcomes of physical therapy for patients with lumbar spinal stenosis [abstract]. 35(1):A14.
Hurd WJ, Schmitt LC, Axe MJ, Snyder-Mackler L. Influence of preoperative quadriceps strength on time to return to sport following ACL injury [abstract]. 35(1):A74.
Hurwitz D. see Chang AH.
Hutchison S. see Gurney B.
Hyer CF, Berlet GC, Philbin TM, Lee TH. Thermal capsular modification in the functionally unstable ankle [abstract]. 35(5):A23.
Hyland M, Cohen L, Webbner-Gaffney A, Lichtman SW. The effects of a calcaneus and Achilles tendon taping technique for the acute treatment of plantar fasciitis [abstract]. 35(1):A22.
Hystad T. see Jensen R.

Ingersoll CD. see Garrison J.
Inselman B, Wissink N, Briggs M, Oltmans C, Threlkeld AJ. EMG pattern changes in a squat exercise allowing lateral rotation [abstract]. 35(1):A82.
Irvine L. see Brechter JH.

Jackson IC. see Bergeron AL.
Jackson IC. see Papazis J.
Jagger K. see McPherson SL.
Jankoski J. see Asavasopon S.
Jasheway P. see Millar AL.
Jefferson JR, Blythe A, Thompson M, Wilson R. The effect of hip and ankle position on knee flexion ROM during prone knee bending in normals [abstract]. 35(1):A65.
Jenkins LM. see Wang SS.
Jenkins P. Functional rehabilitation and bracing of a 15-year-old male, following a Salter Harris fracture with residual deformity of the tibia [abstract]. 35(1):A67.
Jennings J, Davies G. Treatment of cuboid syndrome secondary to lateral ankle sprains: a case series. 35(7):409-415.
Jeno SH, Doyle K, McDonald MK, Partlow H, Paur E, Relling D. An electromyographic analysis of lower trapezius muscle activity in the traditional muscle testing position and a modified position [abstract]. 35(1):A34.
Jensen DA. see Majkowski GR.
Jensen R, Hystad T, Baerheim A. Knee function and pain related to psychological variables in patients with long-term patellofemoral pain syndrome. 35(9):594-600.
Johnson BC. see Wilken JM.
Johnson CD, McHugh MP. Performance demands of professional male tennis players [abstract]. 35(1):A87.
Johnson EK, Chandra A, Nabeyama B, Santikul K, Sullivan MT, Rao AK. The effects of resisted hip adduction on EMG activity of the vastus medialis obliquus muscle during terminal knee extension in a closed kinetic chain [abstract]. 35(1):A62-A63.
Johnson EK, Kafka DM, Polit CW, Chiarello CM. A systematic review and classification of the evidence examining the use of spinal manipulation and therapeutic exercise for patients with lumbar spinal stenosis [abstract]. 35(1):A13-A14.
Johnson MP, Abrams SL. Historical perspectives of autonomy within the medical profession: considerations for 21st century physical therapy practice. 35(10):628-636.
Johnson MP, Crossley KL, O'Neil ME, Al-Zakwani IS. Estimates of direct health care expenditures among individuals with shoulder dysfunction in the United States [abstract]. 35(1):A4.
Johnson N, Boyce DA, Brosky J. Is vertebral axial decompression (VAX-D) effective in treating low back pain? [abstract]. 35(1):A70.
Jones SL. see Henry SM.
Jordan K. see Vicenzino B.

Kachingue AF. see Simpson BP.
Kafka DM. see Johnson EK.
Kaiser AP. see Ludewig PM.
Kaminski A. see Greene BL.
Kaminski TW. see Gustavsen GP.
Kaminski TW. see Hertel J.
Kaminski TW, Cousino ES. Examining functional strength ratios between those with ankle instability and a control group with uninjured ankles [abstract]. 35(5):A18.
Kamisky HA. see Benson CJ.
Kane EJ. see Royer PJ.
Kapur R. see Downey PA.
Karas S. From breakpoint to advantage: a practical guide to optimal tennis health and performance [review]. 35(9):616-617.
Karas SG. see Thigpen CA.
Karduna A. Research methods in biomechanics [review]. 35(11):776.
Kauffman CJ. Rehabilitation of an athlete following arthroscopic hip labral debridement [abstract]. 35(1):A78-A79.
Keeney S. see Davis DS.
Keller L. see Parker MG.
Kelley CA. see Pati AB.
Kelley MJ. see Leggin BG.
Kelly BT. see Martin RL.
Kelly DG, Plano M, Vuckovich B, Ware A. Patient education for knee arthroscopy [abstract]. 35(1):A47.
Kelly R, Beehn C, Hansford A, Westphal KA, Halle JS, Greathouse DG. Effect of fluidotherapy on superficial radial nerve conduction and skin temperature. 35(1):16-23.
Kernozek TW. see Cowley HR.
Kerrigan DC. see Garrison J.
Kettmann KM. see McClinton SM.
Kiker R. see Hubbard JK.
Kilbreath S. see De Noronha M.
Kilbreath S. see Hiller CE.
King PM. The manipulation education manual: support for evidence-based education [guest editorial]. 35(7):407-408.
Klick P. see Brechter JH.
Kocabey Y. see Nyland J.
Koes BW. see van Os AG.
Kohia M, Rossi MD, Hasson S, Elazzazi A. Intratester reliability of ground reaction force and level of assistance during a 1-legged sit-to-stand in individuals with total knee arthroplasty [abstract]. 35(1):A54-A55.
Kohler RM. see Ludewig PM.
Kolkebeck D. see Glasoe WM.
Kolowich P. see Waters GF.
Komnick M. see Glasoe WM.
Koo J. see Williams DS.
Kosheff MI. Case report examining false positive MRI findings of a lumbar disc bulge: differential diagnosis and the effectiveness of impairment specific joint manipulation [abstract]. 35(1):A41.
Koshi LR. see Allen RJ.
Kovaleski JE, Hollis JM, Heitman RJ, Gurchiek LR. The effect of load range and lateral ligament sectioning on stiffness and laxity of the ankle-subtalar joint complex [abstract]. 35(5):A26.
Krasner M. see Horbacewicz JS.
Krause DA. see Youdas JW.
Krawiec JP. see Anderson DA.
Kreminic I. see Tyler TF.
Kruse TH. see Wilken JM.
Krusing M. see Woehrle J.
Kulig K. see Andersen M.
Kulig K. see Beneck GJ.
Kulig K. see Davenport TE.
Kulig K. see Sum J.
Kulig K. see Weimer KM.
Kumiji KT. see Harlow LM.
Kwon Y-Hoo. see Lin S-Jen.

Lachman N. see Nyland J.
Lake AW, Sitler MR, Stearne DJ, Swanik CB, Tierney R. Effectiveness of prophylactic hyperextension elbow braces on limiting active and passive elbow extension prephysiological and postphysiological loading. 35(12):837-843
Lake DA. see Anderson DA.
Lake DA. see Ellis C.
Lamoureux KA. see Quick NE.
Lampe KE. see Farrell KP.
Lampe KE, Bioleau C, Lotts C, Orfitelli J, Smith D. Retrograde venous blood flow in the lower extremities of weight lifting and non-weight lifting college age males [abstract]. 35(1):A49.
Landel RF. see Beneck GJ.
Larsen BT, Edwards MS, Urfer AG, Devine NL. The immediate effect of warm-up exercise on proprioceptive ability at the ankle joint in open chain conditions: a controlled study [abstract]. 35(1):A37.
Laskowski E. see Youdas JW.
LaStayo PC. see Gerber JP.
Latham M. see Wies JT.
Lausterer KJ, Longacre ME. Functional improvement in female athletes following an ACL injury prevention exercise program [abstract]. 35(1):A88.
Law EYH. see Chiu TTW.
LeBec M. see Roseborrough A.
Lee D. see Andersen M.
Lee I. Successful translational manipulation under anesthesia was safely performed on a patient with

adhesive capsulitis and concomitant soft tissue pathology and osteopenia [abstract]. 35(1):A17.
Lee I, Teyhen DS. Significant changes in end range lumbar flexion at L5-S1 observed in a patient during and after an episode of acute low back pain [abstract]. 35(1):A62.
Lee IE. see Majkowski GR.
Lee TH. see Hyer CF.
Leerar P, Boissonnault WG, Domholdt E, Roddey T. Medical screening by physical therapists for patients with low back pain [abstract]. 35(1):A29.
Leggin BG, Kelley MJ, Ramsey ML, Glaser DL, Williams GR. Short-term outcome following arthroscopic rotator cuff repair [abstract]. 35(1):A3-A4.
Leighton RD. Hallux valgus, plantar plate disruption, and hammer toe: a case report [abstract]. 35(1):A60.
Leininger PM. Cross training effects of high intensity unilateral strengthening of the upper extremity [abstract]. 35(1):A66.
Leonard CT. see Gubler HC.
Levine D, Whittle MW, Frogg S, Stooksbury J. The effects of illumination levels on limb kinematics and cadence during running [abstract]. 35(1):A29.
Levy D. see Cuffia B.
Lewis CL. see Chen J.
Lewis CL, Chen J, Sahrmann SA. Variations in hip extensor muscle participation during hip extension in the prone position [abstract]. 35(1):A58-A59.
Lewis CL, Sahrmann SA. Timing of muscle activation during prone hip extension [abstract]. 35(1):A56-A57.
Lewis JS, Wright C, Green A. Subacromial impingement syndrome: the effect of changing posture on shoulder range of movement. 35(2):72-87.
Liakos P. see Glasoe WM.
Lichtman SW. see Hyland M.
Liebert K, Boyce DA, Brosky J. Is there an optimal position for volar static splinting in patients with carpal tunnel syndrome? A systematic review of the literature [abstract]. 35(1):A70.
Lin R-M. see Lin S-I.
Lin S-I, Lin R-M. Disability and walking capacity in patients with lumbar spinal stenosis: association with sensorimotor function, balance, and functional performance. 35(4):220-226.
Lin S-Jen, Goh H-Ting, Kwon Y-Hoo. Changes of ground reaction force after short-term adaptation to added prosthetic mass curing over ground walking: preliminary data [abstract]. 35(1):A64.
Lisle D. see Hess SA.
Little S. see Boissonnault WG.
Lloyd AS. see Ludewig PM.
Long F. see Born KM.
Long F. see Salsich GB.
Longacre ME. see Lausterer KJ.
Loomis G, Sutlive TG, Weigel K, Mendoza A, Morris K, Rendeiro D, Wainner RS. Changes in pelvic asymmetry, functional status, and pain in subjects with low back pain more likely to respond to manipulation [abstract]. 35(1):A21.
Lotts C. see Lampe KE.
Ludewig PM. see Borstad JD.
Ludewig PM, Lunden JB, Kohler RM, Kaiser AP, Lloyd AS, Cieminski CJ, Hassett DR. Relationship between sternoclavicular joint motion and scapular rotation on the thorax [abstract]. 35(1):A7-A8.
Luijsterburg PAJ. see van Os AG.
Lunden JB. see Ludewig PM.

MacArt C. see Tremback-Ball A.
MacDermid J. Master cases in hand and wrist surgery [review]. 35(3):191.
Macera CA. see Rauh MJ.
Macrina LC. see Reinold MM.
Macrina LC. Patellofemoral disorders: diagnosis and treatment [review]. 35(9):615.
Macrina LC, Reinold MM, Sheheane CC, Crenshaw K, Wilk KE, Andrews JR. Elbow proprioception in professional baseball players [abstract]. 35(1):A88-A89.
Madden A. see Brechter JH.
Madhavan S. see Shields RK.
Madigan M. see Pidcoe P.
Maitland ME, Chen L-Tsun. Lower extremity muscle activation, joint angles and single leg stance during Tai Chi Chuan postures [abstract]. 35(1):A49.
Majkowski GR, Gill NW, Jensen DA, Lee IE, Rendeiro DG. Quantification of forces delivered via cervical towel traction [abstract]. 35(1):A64-A65.
Malecka C. A review of the interdisciplinary approach required to optimize prosthetic and functional training with the C-leg in the inpatient rehabilitation setting [abstract]. 35(1):A54.
Malone T. Physical rehabilitation of the injured athlete, 3rd edition [review]. 35(3):191-192.
Mamula CJ, Erhard RE, Piva SR. Cervical radiculopathy or Parsonage-Turner syndrome: differential diagnosis of a patient with neck and upper extremity symptoms. 35(10):659-664.
Manal K, Cohen S, Buchanan TS. Developing and testing an EMG-driven model to estimate ankle moments and muscle forces during walking [abstract]. 35(5):A27.
Manal TJ. see Goodstadt NM.
Mancinelli C. see Davis DS.
Mangine RE. see Eifert-Mangine M.
Mansfield LT. see Moore JH.

Marcacci M. see Roi GS.
Marcus RL. see Gerber JP.
Markowitz SA. see Howard PD.
Marolla M. see Phillips HJ.
Marrow JC. see Royer PJ.
Marsh D. see Quick NE.
Marsh DW. The use of medical exercise therapy for the treatment of shoulder hemiarthroplasty in a patient with rheumatoid arthritis [abstract]. 35(1):A50.
Martin RL, Kelly BT, Philippon MJ. Evidence of validity for the hip outcome score (HOS) [abstract]. 35(1):A18.
Martin RL, Kelly BT, Philippon MJ. A classification system for labral tears of the hip [abstract]. 35(1):A23.
Marx BJ. see Gubler HC.
Marzano CM. see Howard PD.
Massimino A. see Cade D.
Matheson JW. Musculoskeletal outcome measures and instruments [review]. 35(9):614-615.
Matsui I. see Murphy BP.
Mattacola CG, Mulvihill CP, Nitz AJ, Uhl TL. Muscular contributions of the anterior and posterior tibialis, gastrocnemius, and fibularis longus with and without orthotics during bilateral stance [abstract]. 35(5):A26.
Mattson DJ. see Dunning T.
Mawdsley R. see Barker SP.
Mawdsley R. see Tremback-Ball A.
Maxwell JM. see Williams DS.
McCabe RA, Nicholas SJ, Montgomery KD, Finneran JJ, McHugh MP. The effect of rotator cuff tear size on shoulder strength and range of motion. 35(3):130-135.
McCall DC. see Widmalm SE.
McClinton SM, Bunch SE, Kettmann KM, Padgett JM. Muscle firing patterns during hip abduction: a preliminary investigation [abstract]. 35(1):A29-A30.
McClure P, Balaicuis J, Heiland D, Richards ME, Thorndike C, Wood A. A randomized controlled comparison of stretching procedures in recreational athletes with posterior shoulder tightness [abstract]. 35(1):A5.
McCoy W. see Howard PD.
McDonald MK. see Jeno SH.
McDonnell
MK, Sahrmann SA, Van Dillen LR. A specific exercise program and modification of postural alignment for treatment of cervicogenic headache: a case report. 35(1):3-15.
McDonough AL. see Olson V.
McDonough AL, Behzadi M, Findlay S, Olson V. The use of the Berg balance scale in identifying risks of falls in middle aged adults with chronic low back pain [abstract]. 35(1):A44.
McDonough AL, Dunay H, Davda S, Olson V. The effect of practice on the dominant hand on the ability to replicate a criterion force on the nondominant hand [abstract]. 35(1):A43.
McGivern KL, Bilek-Sawhney B, Gay J. A survey of injuries to emergency medical technicians [abstract]. 35(1):A34-A35.
McHugh MP. see Johnson CD.
McHugh MP. see McCabe RA.
McHugh MP. see Tyler TF.
McKenzie A. see Vuong AT.
McKeough M. Fit to ski: practical tips to optimizing dryland training and ski performance [review]. 35(9):616.
Mclachlan K, Murphy A, Watsford M. The interday reliability of ankle musculotendinous stiffness measures [abstract]. 35(5):A26.
McLean N. see Friel K.
McMillian DJ. see Moore JH.
McMillian DJ. see Weishaar MD.
McPherson SL. see Watson T.
McPherson SL, Bull J, Jagger K. Knowing and doing: effect of 2 different videotaped instructional models on motor and verbal behaviors of adults' lifting [abstract]. 35(1):A36.
McPoil TG, Cornwall MW, Ray C, Townsend L. Change in arch height during the sit-to-stand test: a replacement of the navicular drop test [abstract]. 35(1):A19.
McRae M. see Cleland JA.
McShane JM. see Gustavsen GP.
McWhorter JW, Berry K, Higbee C, Thompkins D, Altenburger P, Harvey W, Merrill L. The effects of loaded, unloaded, dynamic, and static activities on foot volumetrics [abstract]. 35(1):A37.
Medvecky MJ. see Zazulak BT.
Mendoza A. see Loomis G.
Menz HB. Analysis of paired data in physical therapy research: time to stop double-dipping? [guest editorial]. 35(8):477-478.
Menz HB, Munteanu SE. Validity of 3 clinical techniques for the measurement of static foot posture in older people. 35(8):479-486.
Merrill L. see McWhorter JW.
Meyers C. see Friel K.
Michell TB. see Ross SE.
Michener L. see Beattie PF.
Milidonis MK, Greene BL. The impact of function on work status for community dwelling disabled persons with arthritis: an analysis of the national health interview survey disability supplement [abstract]. 35(1):A36-A37.

Millar AL, Jasheway P. Factors affecting physical therapy outcomes in shoulder rehabilitation [abstract]. 35(1):A79.
Millar L. see Olson L.
Miller J. see Gray JC.
Millett PJ. see Wilcox III RB.
Miltenberger CE. see Teyhen DS.
Mincer A. see Ellis C.
Minning S. see Eifert-Mangine M.
Mioduski J. see Hart DL.
Mizner RL, Petterson SC, Snyder-Mackler L. Quadriceps strength and the time course of functional recovery after total knee arthroplasty. 35(7):424-436.
Mizner RL, Petterson SC, Snyder-Mackler L. Quadriceps strength and the time course of functional recovery after total knee arthroplasty [abstract]. 35(1):A2-A3.
Moffit S, Rodriguez BJ, Fritz JM. Comparison of radiographic findings and physical therapy outcomes in individuals reporting low back pain with radiculopathy [abstract]. 35(1):A14.
Moffit SD. see Rodriguez BJ.
Monaghan K. see Delahunt E.
Monaghan K, Delahunt E, Caulfield B. Preliminary results from a 3-D motion analysis investigation of the kinematic and kinetic patterns associated with mechanical instability and functional instability of the ankle compared to normals during gait [abstract]. 35(5):A18.
Montgomery KD. see McCabe RA.
Mooney MP. see Downey PA.
Moore JH. see Rosenthal MD.
Moore JH. see Weishaar MD.
Moore JH, Goss DL, Baxter RE, DeBerardino TM, Mansfield LT, Fellows DW, Taylor DC. Clinical diagnostic accuracy and magnetic resonance imaging of patients referred by physical therapists, orthopaedic surgeons, and nonorthopaedic providers. 35(2):67-71.
Moore JH, McMillian DJ, Rosenthal MD, Weishaar MD. Risk determination for patients with direct access to physical therapy in military health care facilities. 35(10):674-678.
Moore M. Preventing dance injuries, 2nd edition [review]. 35(9):616.
Moravec RR. see Royer PJ.
More KP. see Wilken JM.
Morris D. see Woehrle J.
Morris K. see Loomis G.
Moser MW. see Wilk KE.
Mueller MJ. see Chen J.
Mulhall ML. see Chacko P.
Mullaney MJ. see Tyler TF.
Mulroy SJ. see Gutierrez DD.
Mulvihill CP. see Mattacola CG.
Mundorff M. see Brennan GP.
Munteanu SE. see Menz HB.
Murgus J. see Cuffia B.
Murphy A. see Mclachlan K.
Murphy BP, Greathouse DG, Matsui I. Primary care physical therapy practice models. 35(11):699-707.
Muth S. see Cuffia B.
Myer GD. see Cowley HR.
Myer GD. see Paterno MV.
Myers M. see Glasoe WM.
Myers P. see Hess SA.

Nabeyama B. see Johnson EK.
Nanni G. see Roi GS.
Nava N. see Gray JC.
Nawoczenski DA, Flanigan R, DiGiovanni BF. Optimizing tissue strain for plantar fasciitis stretch protocols: an in vitro study [abstract]. 35(1):A20.
Nazal F. see Ellenbecker TS.
Neal K. see Greene BL.
Negus V, Hopper D, Briffa NK. Associations between turnout and lower extremity injuries in classical ballet dancers. 35(5):307-318.
Nelson K. see Pariser GL.
Nelson R. see Beattie PF.
Neumann DA. see Bielefeld T.
Newsam CJ. see Gutierrez DD.
Nicholas SJ. see McCabe RA.
Nicholas SJ. see Tyler TF.
Nilsson G, Ageberg E, Ekdahl C, Eneroth M. Postural stability in ankle fractures: a 14-month follow-up [abstract]. 35(5):A25.
Nitz AJ. see Robinson TK.
Nitz AJ. see Mattacola CG.
Norman LJ. see Gray JC.
Norton BJ. see Cornbleet SL.
Norton BJ, Van Dillen LR, Sahrmann SA. Gender-related differences in hip and back motion during rising from a forward bent position [abstract]. 35(1):A48.
Noteboom JT. see Scherer SA.
Noteboom JT. see Threlkeld AJ.
Nygaard R. see Gray JC.
Nyland J, Lachman N, Kocabey Y, Brosky J, Altun R, Caborn D. Anatomy, function, and rehabilitation of the popliteus musculotendinous complex. 35(3):165-179.

Ogiuchi T. see Yamamoto H.
Olmsted-Kramer LC, Hertel J. Is there a link between ankle sprain history and anterior cruciate ligament injury risk? [abstract]. 35(5):A25.
Olson L, Millar L, Dunker J, Hicks J, Glanz D. Reliability of a clinical test for deep cervical flexor endurance [abstract]. 35(1):A38-A39.

Olson V. see McDonough AL.
Olson V, Coglianese P, Gallucci J, McDonough AL. Electromyographic activity in the vastus medialis and vastus lateralis before and after patellofemoral joint taping while squatting [abstract]. 35(1):A47.
Olson V, Dunn K, Quinn J, Tella A, McDonough AL. The effects of exterior heel lifts on gait in subjects with an imposed leg length discrepancy [abstract]. 35(1):A44.
Olszynski W. see Arnold CM.
Oltmans C. see Inselman B.
O'Neil ME. see Johnson MP.
Orfitelli J. see Lampe KE.
Orishimo K. see Tyler TF.
Oswald W. see Glasoe WM.
Ota S. see Pollard C.
Ota S. see Sigward SM.
O'Tool B. see Ekstrom RA.

Pace TA. see Anderson DA.
Padgett JM. see McClinton SM.
Padua DA. see Thigpen CA.
Palmer JA. see Cleland JA.
Papanek P. Physiology of sport and exercise, 3rd edition [review]. 35(6):398.
Papania N. see Eifert-Mangine M.
Papazis J. see Bergeron AL.
Papazis J, Bergeron AL, Jackson IC. Return to occupation and recreation for a patient with traumatic below the knee amputation [abstract]. 35(1):A73.
Pariser GL, Nelson K, Baratta R, Werner S. Effects of the attachment point of Thera-Band tubing on resistance torque and muscle activity during shoulder abduction exercises [abstract]. 35(1):A59-A60.
Park K. see Andersen M.
Parker MG, Keller L, Evenson J. Torque responses in human quadriceps to burst-modulated alternating current at 3 carrier frequencies. 35(4):239-245.
Parks KE. see Royer PJ.
Partlow H. see Jeno SH.
Passey EJ, Fritz JM, Pierce L. Outcomes comparison for low back patients in a stabilization classification [abstract]. 35(1):A16.
Paterno MV. Imaging strategies for the shoulder [review. 35(3):192.
Paterno MV, Ford KR, Myer GD, Heyl R, Hewett TE. Biomechanical limb asymmetries in female athletes 2 years following ACL reconstruction [abstract]. 35(1):A75.
Pati AB, Kelley CA. Physical therapy group programming for patients with knee osteoarthritis [abstract]. 35(1):A45-A46.
Paur E. see Jeno SH.
Peacock N, Walker JA, Fogg R, Dudley K. Prevalence of low back pain in alpine ski instructors. 35(2):106-110.
Pelley K. see Pollard C.
Pelley K. see Sigward SM.
Pendergrass TL. see Weishaar MD.
Peralta D. see Romanick MA.
Perry J. see Gutierrez DD.
Peterson S. see Schmitt JS.
Petronis JJ. see Davis DS.
Petterson SC. see Mizner RL.
Phelps N. see Brechter JH.
Philbin TM. see Hyer CF.
Philippon MJ. see Martin RL.
Phillips HJ, Marolla M, Samples B, Blaszka B. Treatment of innominate rotations: impact on spatial and temporal parameters of gait [abstract]. 35(1):A43-A44.
Pidcoe P, Madigan M. Changes in frontal and transverse plane landing biomechanics during a fatiguing landing activity [abstract]. 35(1):A48-A49.
Pierce L. see Passey EJ.
Pierson T. see Rapp A.
Pitts C. see Howard PD.
Piva SR. see Childs JD.
Piva S. see Mamula CJ.
Piva SR, Goodnite EA, Childs JD. Strength around the hip and flexibility of soft tissues in individuals with and without patellofemoral pain syndrome. 35(12):793-801
Plano M. see Kelly DG.
Polit CW. see Johnson EK.
Pollard C, Sigward SM, Ota S, Pelley K, Powers CM. Gender differences in hip joint kinematics and kinetics during a side-step cutting maneuver [abstract]. 35(1):A76.
Ponce PL. see Zazulak BT.
Pontillo M. see Tyler TF.
Popovich JM. see Sum J.
Popovich JM, Shrader J, Gracey GC, Danoff JV, Harris-Love MO, Gerber LH. Foot and ankle impairments in patients with rheumatoid arthritis: effects on gait velocity: preliminary data [abstract]. 35(1):A69.
Popovich JM, Shrader J, Gracey GC, Danoff JV, Harris-Love MO, Gerber LH. Relationships between ankle plantar flexion force, plantar pressures, and foot pain in persons with rheumatoid arthritis [abstract]. 35(1):A70.
Poppert E. see Sum J.
Porter K. see Woehrle J.
Post R, Contino C, Soberon S, Borrell D, Zeleznock J, Grello L. A correlational study comparing the

Oswestry disability questionnaire and Waddell signs in adult patients with chronic low back pain [abstract]. 35(1):A55-A56.
Powers CM. see Beneck GJ.
Powers CM. see Pollard C.
Powers CM. see Sigward SM.
Propps M. see Watson CJ.
Pulliam JN. see Teyhen DS.
Purgia ML. see Childs JD.

Quick NE, Bonin KM, Lamoureux KA, St. Pierre KL, Chase A, Marsh D. Muscle activation patterns associated with the medical exercise therapy device during shoulder external rotation [abstract]. 35(1):A58.
Quinn J. see Olson V.

Ralston K. see Tremback-Ball A.
Ramsey ML. see Leggin BG.
Rand RS. see Sheldon MR.
Rao AK. see Johnson EK.
Rao SR, Saltzman C, Yack HJ. Ankle ROM, stiffness, and plantar loading in subjects with and without diabetic neuropathy [abstract]. 35(1):A19-A20.
Rapp A, Hawkinson B, Schram S, Degan T, Pierson T. An EMG analysis of serratus anterior and lower trapezius in closed kinetic chain exercises: in-door rock climbing versus push-up with a plus and press up [abstract]. 35(1):A53.
Ratner J. see Watson CJ.
Rauh MJ, Shaffer RA, Trone DW, Brodine SK, Macera CA. Predictors of stress fracture susceptibility in young women recruits [abstract]. 35(1):A73-A74.
Ray C. see McPoil TG.
Refshauge KM. see De Noronha M.
Refshauge KM. see Hiller CE.
Refshauge KM. Sensory deficits with ankle injuries - plenary lecture II [supplement]. 35(5):A10-A11.
Reicherter EA, Williams B, Tavokol K. The use of portfolio assessment in an advanced spinal manual therapy module for professional physical therapy students [abstract]. 35(1):A68-A69.
Reinking MF. Exercise-related leg pain in female collegiate athletes: the influence of intrinsic and extrinsic factors [abstract]. 35(1):A73.
Reinold MM. see Macrina LC.
Reinold MM. see Wilk KE.
Reinold MM, Macrina LC, Wilk KE, Dugas JR, Cain LE, Andrews JR. The effect of electrical stimulation of the infraspinatus on shoulder external rotation force production following rotator cuff repair surgery [abstract]. 35(1):A79-A80.
Reischl SF. see Weimer KM.
Relling D. see Jeno SH.
Rendeiro D. see Loomis G.
Rendeiro DG. see Majkowski GR.
Requejo SM. see Weimer KM.
Resnik C. see Davenport TE.
Reynen D. Back-pain-related morbidity in California: a look at disparities [abstract]. 35(1):A39.
Richards ME. see McClure P.
Richardson C. see Hess SA.
Riddle DL. Epidemiology of neck pain in the United States: volume and characteristics of patient visits to medical doctors and physical therapists [abstract]. 35(1):A12.
Rizzo J. see Carter SK.
Robinson TK, Threlkeld AJ, Dietrich M, Nitz AJ. Effects of Exercise-induced muscular fatigue on the kinetics and electromyographic activity of a single-leg vertical jump in healthy men [abstract]. 35(1):A77.
Roddey T. see Leerar P.
Rodriguez BJ. see Moffit S.
Rodriguez BJ, Moffit SD, Fritz JM. The usefulness of classification criteria among patients with low back pain and signs of radiculopathy [abstract]. 35(1):A10.
Roetert P. see Ellenbecker TS.
Roi GS, Creta D, Nanni G, Marcacci M, Zaffagnini S, Snyder-Mackler L. Return to official Italian first division soccer games within 90 days after anterior cruciate ligament reconstruction: a case report. 35(2):52-61.
Roi GS, Creta D, Nanni G, Marcacci M, Zaffagnini S, Snyder-Mackler L. Authors' response. 35(2):64-66.
Romanick MA, Hata R, Peralta D, Uyeunten D. Gastrocsoleus muscle complex maintains high talocrural plantar flexion force as knee flexes [abstract]. 35(1):A72-A73.
Ropponen A, Gibbons LE, Videman T, Battié MC. Isometric back extension endurance testing: reasons for test termination. 35(7):437-442.
Roseborrough A, LeBec M. Intra and interrater reliability of a bubble inclinometer in measuring scapular range of motion during glenohumeral elevation [abstract]. 35(1):A4-A5.
Rosenthal MD. see Moore JH.
Rosenthal MD. Atypical heel pain, bilateral calcaneal stress fractures [abstract]. 35(1):A74.
Rosenthal MD, Moore JH, Fellows D, DeBerardino TM, Taylor DC. The effect of anterior cruciate ligament reconstruction on patellofemoral joint alignment [abstract]. 35(1):A82.
Ross MD, Bayer E. Cancer as a cause of low back pain in a patient. seen in a direct access physical therapy setting. 35(10):651-658.
Ross SE. see Brown CN.
Ross SE, Michell TB, Guskiewicz KM. Effect of coordination training with and without exercise sandals on static postural stability of individuals

with functional ankle instability and individuals with stable ankles [abstract]. 35(5):A22.
Rossetti A. see Davis DS.
Rossi MD. see Kohia M.
Rossi MD, Brown L, Whitehurst M. Responsiveness of knee extensor and flexor isokinetic torque production at slow and fast speeds before and within 1-year after unilateral total knee arthroplasty (TKA) [abstract]. 35(1):A69.
Rothschadl L. see Ekstrom RA.
Rowe J. see Dunning T.
Royer PJ, Kane EJ, Parks KE, Marrow JC, Moravec RR, Christie DS, Teyhen DS. Fluoroscopic assessment of the effects of rotator cuff fatigue on glenohumeral kinematics in shoulder impingement syndrome [abstract]. 35(1):A4.
Rundquist PJ. Alterations in scapular kinematics in subjects with idiopathic loss of shoulder range of motion [abstract]. 35(1):A6.
Russell G. see Adah FL.
Russell P. see Decoster LC.
Ryder M. see Whitman JM.

Sahrmann SA. Are physical therapists fulfilling their responsibilities as diagnosticians? [guest editorial]. 35(9):556-558.
Sahrmann SA. see Bloom NJ.
Sahrmann SA. see Chen J.
Sahrmann SA. see Cornbleet SL.
Sahrmann SA. see Hayes MH.
Sahrmann SA. see Lewis CL.
Sahrmann SA. see McDonnell MK.
Sahrmann SA. see Norton BJ.
Sakaitis C. see Ebaugh DD.
Sakaitis C. see Gard K.
Saldanha V, Siegler S, Hirsch BE, Udupa JK. Measurement of lateral ligament length under load using 3-D stress MRI [abstract]. 35(5):A27.
Salsich GB. see Born KM.
Salsich GB, Born KM, Ball V, Long F. Frontal and transverse plane hip moments during gait in females with and without patellofemoral pain [abstract]. 35(1):A3.
Saltzman C. see Rao SR.
Saltzman CL. see Wilken JM.
Samples B. see Phillips HJ.
Santikul K. see Johnson EK.
Sarvaiya-Shah S. see Turner J.
Sasaki M. Cervical cord compression secondary to ossification of the posterior longitudinal ligament. 35(11):722-729.
Sather J. see Brechter JH.
Saylor MH. see Goss DL.
Schaars E. see Boissonnault WG.
Schachter CL. see Arnold CM.
Scher S. see Waters GF.
Scherer SA, Noteboom JT, Flynn TW. Cardiovascular assessment in the orthopaedic practice setting. 35(11):730-737.
Schmitt JS, Peterson S. Descriptive reporting of treatment effects for a cohort of patients with musculoskeletal diagnoses [abstract]. 35(1):A25-A26.
Schmitt LA. Impairment based approach treatment design for patients following TKA surgery to improve functional outcomes [abstract]. 35(1):A16.
Schmitt LC. see Hurd WJ.
Schram S. see Rapp A.
Schroeckenstein M. see Brechter JH.
Sciote JJ. see Downey PA.
Second international ankle symposium - plenary lectures and abstracts [supplement]. 35(5):A7-A8.
Selby-Silverstein L. see Cuffia B.
Seo AY. see Silfies SP.
Sexton J. see Woehrle J.
Shafer L. see Dunning T.
Shaffer RA. see Rauh MJ.
Sharma L. see Chang AH.
Sheheane CC. see Macrina LC.
Shelbourne KD. Invited commentary. 35(2):61-62.
Sheldon MR, Brewer BA, Rand RS, Donovan KM. The role of physical therapists in manufacturing industries in Maine [abstract]. 35(1):A46.
Shelly GM. see Howard PD.
Shepherd C. see Watson T.
Sherbondy P. see Hubbard TJ.
Shields RK, Madhavan S, Cole K. Sustained muscle activity minimally influences dynamic position sense of the ankle. 35(7):443-451.
Shinn T. see Benson CJ.
Shrader J. see Popovich JM.
Shropshire J, Gustafson S, Donachy JE, Christian EL. Comparison of plantar pressures generated while performing aerobic exercises wearing conventional running shoes or kangoo jumps [abstract]. 35(1):A87.
Shultz SJ. see Docherty CL.
Siegel MI. see Downey PA.
Siegler S. see Saldanha V.
Sigward SM. see Pollard C.
Sigward SM, Ota S, Pelley K, Powers CM. Predictors of knee valgus moment in female athletes during the side-step cutting [abstract]. 35(1):A86.
Silfies SP. see Stephens RA.
Silfies SP, Seo AY. Trunk extensor muscle imbalances in patients with chronic low back pain [abstract]. 35(1):A8-A9.
Simoneau GG. Another advance for the JOSPT [editorial]. 35(1):1-2.

Simoneau GG. 2005 CSM Abstracts - Introduction. 35(1):33.
Simoneau GG. JOSPT awards debut at CSM 2005 [editorial]. 35(3):128-129.
Simoneau GG. Credit where credit is due [editorial]. 35(12):783-785
Simpson BP, Kachingue AF. Interrater and intrarater reliability of the back range of motion (BROM) device [abstract]. 35(1):A33-A34.
Sinacore DR. see Hastings MK.
Sinacore DR, Bohnert KL, Hastings MK. Bone loss and elevated plantar pressure contribute to unilateral Charcot midfoot deformities in patients with diabetes and peripheral neuropathy [abstract]. 35(1):A18-A19.
Sitler MR. see Lake AW.
Siu SM. see Ho LS.
Sizer PS. see Childs JD.
Slivka E. see Weishaar MD.
Smith AN. see Wikstrom EA.
Smith D. see Lampe KE.
Smith DG. see Friel K.
Smith PS. see Deschenes BK.
Smith R. see Dunning T.
Smith SS. see Borman NP.
Smith SS. see Watson CJ.
Snyder-Mackler L. see Hurd WJ.
Snyder-Mackler L. see Mizner RL.
Snyder-Mackler L. see Roi GS.
Soberon S. see Post R.
Somerville C. see Boissonnault WG.
Song J. see Chang AH.
Speed C. see Wies JT.
Spitalny AD. Retrospective review of 500 brostroms: necessity of ankle arthroscopy [abstract]. 35(5):A24.
Spitalny AD. Retrospective review of 500 brostroms: peroneal tendon pathology [abstract]. 35(5):A24.
Spitalny AD. Retrospective review of 300 ankle MRIs, peroneal tendon pathology [abstract]. 35(5):A24.
Sprengel J. see Cade D.
St. Pierre KL. see Quick NE.
Stalling H. see Woodall W.
Stammen K. see Cade D.
Stark R. see Ellenbecker TS.
Stearne DJ. see Lake AW.
Stephens RA, Bhargava A, Silfies SP. Clinical and biomechanical changes of neuromuscular impairments in a patient with clinical lumbar instability: a case report [abstract]. 35(1):A61.
Stergiou N. see Cavannaugh JT.
Stewart M. see Hancock MJ.
Stoeckmann T. Atlas of amputations and limb deficiencies: surgical, prosthetic, and rehabilitation principles, 3rd edition [review]. 35(11):777.
Stoneman PD. see Weishaar MD.
Stooksbury J. see Levine D.
Stowell T, Cioffredi W, Greiner A, Cleland JA. Abdominal differential diagnosis in a patient referred to a physical therapy clinic for low back pain. 35(11):755-764.
Stratford P. see Hart DL.
Straub SJ. see Zazulak BT.
Strunce JB. see Walker MJ.
Strunce JB. see Young BA.
Stubbs P. see Woodall W.
Stunce JB. see Boyles RE.
Suarez R. see Horbacewicz JS.
Sullivan MT. see Johnson EK.
Sum J, Popovich JM, Poppert E, Colletti P, Kulig K. The role of axial loading in early diagnosis of lumbar disc injury: a biomechanical interpretation using magnetic resonance imaging: a pilot study [abstract]. 35(1):A30.
Sutlive TG. see Loomis G.
Swancutt PS. see Wilken JM.
Swanik CB. see Hamstra-Wright KL.
Swanik CB. see Lake AW.
Swanik KA. see Hamstra-Wright KL.
Swanson S. see Hoerth D.

Tashman S. see Waters GF.
Tavokol K. see Reicherter EA.
Taylor DC. see Moore JH.
Taylor DC. see Rosenthal MD.
Taylor JD. Intrarater reliability of the KT1000 in determining anterior translation of the glenohumeral joint [abstract]. 35(1):A6.
Taylor JD. Interrater reliability of 1-repetition maximum estimation in determining shoulder internal rotation muscle strength performance [abstract]. 35(1):A35-A36.
Taylor VC. see Wang SS.
Teal C. see Hart DL.
Teeny S. see Hassell L.
Tella A. see Olson V.
Teyhen DS. see Gill NW.
Teyhen DS. see Lee I.
Teyhen DS. see Royer PJ.
Teyhen DS, Flynn TW, Childs JD, Abraham LD. Lumbar spine kinematics among patients likely to benefit from a lumbar stabilization exercise program [abstract]. 35(1):A12-A13.
Teyhen DS, Miltenberger CE, Deiters HM, Del Toro YM, Pulliam JN, Childs JD, Boyles RE, Flynn TW. The use of ultrasound imaging of the abdominal drawing-in maneuver in subjects with low back pain. 35(6):346-355.
Teyhen DS, Miltenberger CE, Deiters HM, Del Toro YM, Pulliam JN, Childs JD, Boyles RE, Flynn TW.

Does ultrasound biofeedback improve performance of the abdominal drawing-in maneuver in patients with chronic low back pain? [abstract]. 35(1):A11.
Teys P. see Vicenzino B.
Thein-Nissenbaum J, Boissonnault WG. Differential diagnosis of spondylolysis in a patient with chronic low back pain. 35(5):319-326.
Thelen B. see Hoerth D.
Thelen D. see Chumanov ES.
Thelen D. see Hoerth D.
Thigpen CA, Padua DA, Xu NM, Karas SG. Comparison of serratus anterior and upper trapezius muscle activation between subjects with and without multidirectional shoulder instability [abstract]. 35(1):A80.
Thompkins D. see McWhorter JW.
Thompson AW. see Ellis C.
Thompson M. see Jefferson JR.
Thorndike C. see McClure P.
Threlkeld AJ. see Cooper LD.
Threlkeld AJ. see Inselman B.
Threlkeld AJ. see Robinson TK.
Threlkeld AJ, Noteboom JT, Tschoepe BA. Comparison of 5 scapular manual muscle tests using ultrasound imaging [abstract]. 35(1):A50.
Tierney R. see Lake AW.
Tillman MD. see Wikstrom EA.
Tillman MD, Wikstrom EA, Borsa PA. Detection of dynamic stability deficits in subjects with functional ankle instability [abstract]. 35(5):A19.
Tippett S. Sports medicine: a comprehensive approach, 2nd edition [review]. 35(6):397.
Tortorelli JR. see Goss DL.
Townsend L. see McPoil TG.
Tremback-Ball A, Mawdsley R, Argento G, Bennett B, MacArt C, Ralston K, Vanderburg J. Effects of intertrial rest periods on grip strength testing of elderly females [abstract]. 35(1):A40.
Trone DW. see Rauh MJ.
Trudelle-Jackson E. see Turner J.
Trudelle-Jackson EJ. see Wang SS.
Tsao A. see Adah FL.
Tschoepe BA. see Threlkeld AJ.
Tucci M. see Adah FL.
Turner C. see Beattie PF.
Turner J, Sarvaiya-Shah S, Trudelle-Jackson E. Interater reliability of the movement impairment classification for lumbar spine syndromes in patients with chronic low back pain [abstract]. 35(1):A67.
Tyler TF, Clavier J, Orishimo K, McHugh MP. A comparison of posterior rotator cuff activity during 3 rehabilitation exercises [abstract]. 35(1):A85.
Tyler TF, Nicholas SJ, Weinstein RN, Mullaney MJ, McHugh MP. Successful outcome of patellofemoral pain targeting hip and pelvis muscle function and the relationship of therapy visits [abstract]. 35(1):A74-A75.
Tyler TF, Pontillo M, Orishimo K, Kreminic I, McHugh MP. Shoulder musculature activity and stabilization during upper extremity weightbearing activities [abstract]. 35(1):A80-A81.

Udupa JK. see Saldanha V.
Uhl TL. see Bolgla LA.
Uhl TL. see Brannock MC.
Uhl TL. see Mattacola CG.
Urfer AG. see Larsen BT.
Uyeunten D. see Romanick MA.

Vaes P. see Eechaute C.
Vaes P. Efficacy of control during sudden ankle inversion - plenary lecture III [supplement]. 35(5):A12-A13.
Valovich McLeod TC. see Docherty CL.
Van Dillen LR. see Hayes MH.
Van Dillen LR. see McDonnell MK.
Van Dillen LR. see Norton BJ.
Van Gheluwe B. see Eechaute C. van Os AG, Bierma-Zeinstra SBM, Verhagen AP, de Bie RA, Luijsterburg PAJ, Koes BW. Comparison of conventional treatment and supervised rehabilitation for treatment of acute lateral ankle sprains: a systematic review of the literature. 35(2):95-105.
Vanderburg J. see Tremback-Ball A.
Verhagen AP. see van Os AG.
Vicenzino B. see Constantinou M.
Vicenzino B, Jordan K, Brandjerporn M, Teys P, Bisset L. Mobilization with movement treatment of the ankle changes joint position sense in subjects with recurrent sprains: a preliminary report [abstract]. 35(5):A21.
Vidal P. see Chacko P.
Videman T. see Ropponen A.
Viel JL, Widener G, Byl N, Allen D. Concurrent validity of the California functional evaluation 40 questions (CAFE 40) with the shoulder pain and disability index (SPADI) for people with shoulder pain [abstract]. 35(1):A51.
Viljoen T. see Wies JT.
Voelker K. see Dunning T.
von Foerster MM, Wilmarth MA. Student assessment of a backpack alternative [abstract]. 35(1):A65-A66.
Vuckovich B. see Kelly DG.
Vuong AT, McKenzie A, Brechter JH. Comparison of posture, range of motion, and shoulder pain between volleyball players and non volleyball players. 35(1):A32-A33.

Wadsworth C. AO manual of fracture management: hand and wrist [review]. 35(11):774.
Wadsworth DJS, Eadie NT. Conservative management of subtle Lisfranc joint injury: a case report. 35(3):154-164.
Wainner RS. see Boyles RE.
Wainner RS. see Childs JD.
Wainner RS. see Loomis G.
Wainner RS. see Walker MJ.
Wainner RS. see Whitman JM.
Walker JA. see Peacock N.
Walker K. Proven therapeutic exercise techniques: best practices for therapists and trainers [review]. 35(3):192.
Walker M. see Boyles RE.
Walker MJ. see Young BA.
Walker MJ, Young BA, Boyles RE, Strunce JB, Garber MB, Whitman JM, Deyle GD,
Wainner RS. The efficacy of manual physical therapy and exercise for mechanical neck disorders: a randomized controlled trial [abstract]. 35(1):A9.
Walkerwicz J. see Watson T.
Wallmann H, Candela L, Witt S The effects of a low frequency acoustic waveform on osteoarthritis: a pilot study [abstract]. 35(1):A28.
Wang SS, Antony JA, English MA, Foster CL, Harcourt AB. Effectiveness of shoulder rehabilitative exercises on people with shoulder pain [abstract]. 35(1):A41-A42.
Wang SS, Jenkins LM, Taylor VC, Trudelle-Jackson EJ. Can physical therapy intervention improve muscle balance between the upper and lower trapezius? An electromyographic study [abstract]. 35(1):A32.
Ware A. see Kelly DG.
Wascher D. see Gurney B.
Waters GF, Scher S, Tashman S, Collon DJ, Anderson K, Kolowich P. In vivo dynamic graft measurement of ACL reconstruction in 2 rehabilitation postoperative strategies [abstract]. 35(1):A84.
Watsford M. see Mclachlan K.
Watson CJ, Propps M, Ratner J, Zeigler DL, Horton P, Smith SS. Reliability and responsiveness of the lower extremity functional scale and the anterior knee pain scale in patients with anterior knee pain. 35(3):136-146.
Watson T. Athletic taping and bracing, 2nd edition [review]. 35(11):776-777.
Watson T, Echols L, Grbacac K, Shepherd C, Walkerwicz J, Arsenault P, McPherson SL. A service learning program for implementation of a plyometric training program for ACL injury prevention: Western Carolina University women's basketball team [abstract]. 35(1):A27.
Watts HG. see Davenport TE.
Waugh EJ. Lateral epicondylalgia or epicondylitis: what's in a name? [guest editorial]. 35(4):200-202.
Webbner-Gaffney A. see Hyland M.
Weber M. see Woodall W.
Weber M, Curbow-Wilcox K. Effect of electrical stimulation on cardiovascular responses during isometric quadriceps contractions [abstract]. 35(1):A89.
Weber M, Curbow-Wilcox K. The influence of bicycle ergometer seat tilt on sitting pressure [abstract]. 35(1):A89-A90.
Weigel K. see Loomis G.
Weimer KM, Reischl SF, Requejo SM, Burnfield JM, Kulig K. Nonoperative treatment of posterior tibialis tendon dysfunction: a randomized clinical trial [abstract]. 35(1):A57.
Weinstein RN. see Tyler TF.
Weishaar MD. see Moore JH.
Weishaar MD, McMillian DJ, Moore JH. Identification and management of 2 femoral shaft stress injuries. 35(10):665-673.
Weishaar MD, Moore JH, DeBerardino TM. Management of a midshaft femoral stress fracture in a direct access physical therapy setting [abstract]. 35(1):A87-A88.
Weishaar MD, Moore JH, Pendergrass TL, Goss DL, Slivka E, Green RA, Stoneman PD. Supervised clinic-based physical therapy versus home exercise in the treatment of acute lateral ankle sprains [abstract]. 35(1):A72.
Wells S. see Brechter JH.
Wendl PM. see Hayes MH.
Werneke MW, Hart DL. Relation between behavioral signs and repeated end-range pain responses of patients with acute non-specific low back pain [abstract]. 35(1):A10.
Werner S. see Pariser GL.
West N. see Dunning T.
Westervelt KC. see Henry SM.
Westphal KA. see Kelly R.
White B. see Woodall W.
Whitehurst M. see Rossi MD.
Whitman JM. see Brennan GP.
Whitman JM. see Childs JD.
Whitman JM. see Cleland JA.
Whitman JM. see Walker MJ.
Whitman JM. see Young BA.
Whitman JM, Flynn TW, Wainner RS, Fritz JM, Childs JD, Garber MB, Ryder M, Gill H, Bennett A. A comparison between 2 physical therapy treatment programs for subjects with lumbar spinal stenosis: a randomized clinical trial [abstract]. 35(1):A9.
Whittle MW. see Levine D.
Widener G. see Viel JL.

Widmalm SE, Bae H, Djurdjanovic D, McCall DC. Inaudible joint vibrations [abstract]. 35(1):A63.
Wies JT, Humphreys H, Latham M, Enrico P, Viljoen T, Hazleman B, Speed C. A randomized placebo-controlled trial of physiotherapy for rotator cuff tendinopathies [abstract]. 35(1):A5.
Wikstrom EA. see Tillman MD.
Wikstrom EA, Tillman MD, Smith AN, Borsa PA. Reliability and validity of a new measure of dynamic stability: the dynamic stability index [abstract]. 35(5):A27.
Wilcox III RB, Arslanian LE, Millett PJ. Management of a patient with an isolated greater tuberosity fracture and rotator cuff tear. 35(8):521-530.
Wilcox III RB, Arslanian LE, Millett PJ. Rehabilitation Following Total Shoulder Arthroplasty. 35(12):821-836
Wilk KE. see Macrina LC.
Wilk KE. see Reinold MM.
Wilk KE. Are there speed limits in rehabilitation? [guest editorial]. 35(2):50-51.
Wilk KE, Reinold MM, Dugas JR, Arrigo CA, Moser MW, Andrews JR. Current concepts in the recognition and treatment of superior labral (SLAP) lesions. 35(5):273-291.
Wilken JM, Augustine JR, Johnson BC, Kruse TH, More KP, Swancutt PS, Yack HJ. Effect of foot positioning on 3-dimensional hip kinematics and kinetics during the sit-to-stand activity [abstract]. 35(1):A32.
Wilken JM, Saltzman CL, Yack HJ. A new understanding of foot motion: first metatarsal kinematics and arch elongation during gait [abstract]. 35(1):A68.
Williams B. see Reicherter EA.
Williams DM; Eichelberger TD, Bilodeau M. The effect of fatigue and strength training on the level of voluntary activation of the quadriceps muscle group [abstract]. 35(1):A88.
Williams DS, Koo J, Maxwell JM, Young BA. Validity of a dynamic measurement of the medial longitudinal arch [abstract]. 35(1):A20.
Williams GR. see Leggin BG.
Williamson J. see Deschenes BK.
Willson JD. see Denton J.
Wilmarth MA. see von Foerster MM.
Wilson R. see Jefferson JR.
Windley TC. Clinical anatomical measures predict sagittal plane knee kinematics and kinetics during single-leg landings in females [abstract]. 35(1):A76.
Winters MJ, Ellenbecker TS, Zeman D. Glenohumeral range of motion and rotational isokinetic strength following surgical repair of the glenoid labrum [abstract]. 35(1):A6-A7.
Wissink N. see Inselman B.
Witt PL. A sensible diagnostic category scheme to help guide physical therapy intervention of spinal dysfunction [abstract]. 35(1):A35.
Witt S. see Wallmann H.
Woehrle J, Krusing M, Sexton J, Morris D, Porter K, DeJoe K. The effects of aerobic exercise on balance in the elderly population [abstract]. 35(1):A25
Wood A. see McClure P.
Woodall W, Stubbs P, Cain K, Ehrhardt A, Greer J, Stallings H, White B, Weber M. The effects of static stretching and varied location of ultrasound application on gastrocnemius flexibility [abstract]. 35(1):A89.
Worrell TW. see Gjerde PE.
Worrell TW. Talar bone spur, ligament damage, and severe synovitis following inversion sprain: a case report [abstract]. 35(5):A23.
Wright C. see Lewis JS.
Wright LL. see Anderson DA.
Wu C. see Allen RJ.

Xu NM. see Thigpen CA.

Yack HJ. see Rao SR.
Yack HJ. see Wilken JM.
Yamamoto H, Ogiuchi T. Anatomical reconstruction of the lateral ankle ligaments using gracilis tendon fixed with endobuttons [abstract]. 35(5):A23.
York S. see Hassell L.
Youdas JW, Krause DA, Hollman JH, Harmsen WS, Laskowski E. The influence of gender and age on hamstring muscle length in healthy adults. 35(4):246-252.
Young BA. see Boyles RE.
Young BA. see Walker MJ.
Young BA. see Williams DS.
Young BA, Flynn TW. Pulmonary emboli: the differential diagnosis dilemma. 35(10):637-644.
Young BA, Walker MJ, Strunce JB, Boyles RE, Whitman JM, Childs JD. Responsiveness of the neck disability index in patients with mechanical neck disorders [abstract]. 35(1):A10-A11.

Zaffagnini S. see Roi GS.
Zazulak BT, Ponce PL, Straub SJ, Medvecky MJ, Avedisian L-A, Hewett TE. Gender comparison of hip muscle activity during single-leg landing. 35(5):292-299.
Zeigler DL. see Watson CJ.
Zeleznock J. see Post R.
Zeman D. see Winters MJ.

Abdomen

Stowell T, Cioffredi W, Greiner A, Cleland JA. Abdominal differential diagnosis in a patient referred to a physical therapy clinic for low back pain. 35(11):755-764.

Abdominal Muscles

Henry SM, Westervelt KC. The use of real-time ultrasound feedback in teaching abdominal hollowing exercises to healthy subjects. 35(6):338-345.

Hodges PW. Ultrasound imaging in rehabilitation: just a fad? [guest editorial]. 35(6):333-337.

Teyhen DS, Miltenberger CE, Deiters HM, Del Toro YM, Pulliam JN, Childs JD, Boyles RE, Flynn TW. The use of ultrasound imaging of the abdominal drawing-in maneuver in subjects with low back pain. 35(6):346-355.

Ankle

Garber MB. Diagnostic imaging and differential diagnosis in 2 case reports. 35(11):745-754.

Hancock MJ, Herbert RD, Stewart M. Prediction of outcome after ankle fracture. 35(12):786-792.

Hertel J, Kaminski TW. Second international ankle symposium [supplement]. 35(5):A1-A28.

Jennings J, Davies GJ. Treatment of cuboid syndrome secondary to lateral ankle sprains: a case series. 35(7):409-415.

Shields RK, Madhavan S, Cole K. Sustained muscle activity minimally influences dynamic position sense of the ankle. 35(7):443-451.

van Os AG, Bierma-Zeinstra SBM, Verhagen AP, de Bie RA, Luijsterburg PAJ, Koes BW. Comparison of conventional treatment and supervised rehabilitation for treatment of acute lateral ankle sprains: a systematic review of the literature. 35(2):95-105.

Anterior Cruciate Ligament

Houck JR, Duncan A, De Haven KE. Knee and hip angle and moment adaptations during cutting tasks in subjects with anterior cruciate ligament deficiency classified as noncopers. 35(8):531-540.

Roi GS, Creta D, Nanni G, Marcacci M, Zaffagnini S, Snyder-Mackler L. Return to official Italian first division soccer games within 90 days after anterior cruciate ligament reconstruction: a case report. 35(2):52-66.

Wilk KE. Are there speed limits in rehabilitation? [guest editorial]. 35(2):50-51.

Zazulak BT, Ponce PL, Straub SJ, Medvecky MJ, Avedisian L-A, Hewett TE. Gender comparison of hip muscle activity during single-leg landing. 35(5):292-299.

Arthritis

Hamstra-Wright KL, Swanik CB, Ennis TY, Swanik KA. Joint stiffness and pain in individuals with patellofemoral syndrome. 35(8):495-501.

Ballet

Negus V, Hopper D, Briffa NK. Associations between turnout and lower extremity injuries in classical ballet dancers. 35(5):307-318.

Biomechanics

Bolgla LA, Uhl TL. Electromyographic analysis of hip rehabilitation exercises in a group of healthy subjects. 35(8):487-494.

Borstad JD, Ludewig PM. The effect of long versus short pectoralis minor resting length on scapular kinematics in healthy individuals. 35(4):227-238.

Hamstra-Wright KL, Swanik CB, Ennis TY, Swanik KA. Joint stiffness and pain in individuals with patellofemoral syndrome. 35(8):495-501.

Hess SA, Richardson C, Darnell R, Friis P, Lisle D, Myers P. Timing of rotator cuff activation during shoulder external rotation in throwers with and without symptoms of pain. 35(12):812-820.

Houck JR, Duncan A, De Haven KE. Knee and hip angle and moment adaptations during cutting tasks in subjects with anterior cruciate ligament deficiency classified as noncopers. 35(8):531-540.

Zazulak BT, Ponce PL, Straub SJ, Medvecky MJ, Avedisian L-A, Hewett TE. Gender comparison of hip muscle activity during single-leg landing. 35(5):292-299.

Bracing

Bielefeld T, Neumann DA. The unstable metacarpophalangeal joint in rheumatoid arthritis: anatomy, pathomechanics, and physical rehabilitation considerations. 35(8):502-520.

Denton J, Willson JD, Ballantyne BT, Davis IS. The addition of the Protonics brace system to a rehabilitation protocol to address patellofemoral joint syndrome. 35(4):210-219.

Lake AW, Sitler MR, Stearne DJ, Swanik CB, Tierney R. Effectiveness of prophylactic hyperextension elbow braces on limiting active and passive elbow extension prephysiological and postphysiological loading. 35(12):837-843.

Cardiovascular System

Scherer SA, Noteboom JT, Flynn TW. Cardiovascular assessment in the orthopaedic practice setting. 35(11):730-737.

Young BA, Flynn TW. Pulmonary emboli: the differential diagnosis dilemma. 35(10):637-644.

Cancer

Browder DA, Erhard RE . Decision making for a painful hip: a case requiring referral. 35(11):738-744.

Ross MD, Bayer E. Cancer as a cause of low back pain in a patient seen in a direct access physical therapy setting. 35(10):651-658.

Cervical Spine

Asavasopon S, Jankoski J, Godges JJ. Clinical diagnosis of vertebrobasilar insufficiency: resident's case problem. 35(10):645-650.

Childs JD, Flynn TW, Fritz JM, Piva SR, Whitman JM, Wainner RS, Greenman PE. Screening for vertebrobasilar insufficiency in patients with neck pain: manual therapy decision-making in the presence of uncertainty. 35(5):300-306.

Chiu TTW, Law EYH, Chiu THF. Performance of the craniocervical flexion test in subjects with and without chronic neck pain. 35(9):567-571.

Cleland JA, Whitman JM, Fritz JM, Palmer JA. Manual physical therapy, cervical traction, and strengthening exercises in patients with cervical radiculopathy: a case series. 35(12):802-811.

Garber MB. Diagnostic imaging and differential diagnosis in 2 case reports. 35(11):745-754.

Mamula CJ, Erhard RE, Piva SR. Cervical radiculopathy or Parsonage-Turner syndrome: differential diagnosis of a patient with neck and upper extremity symptoms. 35(10):659-664.

McDonnell MK, Sahrmann SA, Van Dillen LR. A specific exercise program and modification of postural alignment for treatment of cervicogenic headache: a case report. 35(1):3-15.

Sasaki M. Cervical cord compression secondary to ossification of the posterior longitudinal ligament. 35(11):722-729.

Diagnosis

Asavasopon S, Jankoski J, Godges JJ. Clinical diagnosis of vertebrobasilar insufficiency: resident's case problem. 35(10):645-650.

Browder DA, Erhard RE. Decision making for a painful hip: a case requiring referral. 35(11):738-744.

Childs JD, Flynn TW, Fritz JM, Piva SR, Whitman JM, Wainner RS, Greenman PE. Screening for vertebrobasilar insufficiency in patients with neck pain: manual therapy decision-making in the presence of uncertainty. 35(5):300-306.

Constantinou M, Vicenzino B. Differential diagnosis of a soft tissue mass in the calf. 35(2):88-94.

Davenport TE, Watts HG, Kulig K, Resnik C. Current status and correlates of physicians' referral diagnoses for physical therapy. 35(9):572-579.

Garber MB. Diagnostic imaging and differential diagnosis in 2 case reports. 35(11):745-754.

Hanchard NCA, Howe TE, Gilbert MM. Diagnosis of shoulder pain by history and selective tissue tension: agreement between assessors. 35(3):147-153.

Mamula CJ, Erhard RE, Piva SR. Cervical radiculopathy or Parsonage-Turner syndrome: differential diagnosis of a patient with neck and upper extremity symptoms. 35(10):659-664.

McCabe RA, Nicholas SJ, Montgomery KD, Finneran JJ, McHugh MP. The effect of rotator cuff tear size on shoulder strength and range of motion. 35(3):130-135.

Moore JH, Goss DL, Baxter RE, DeBerardino TM, Mansfield LT, Fellows DW, Taylor DC. Clinical diagnostic accuracy and magnetic resonance imaging of patients referred by physical therapists, orthopaedic surgeons, and nonorthopaedic providers. 35(2):67-71

Ross MD, Bayer E. Cancer as a cause of low back pain in a patient seen in a direct access physical therapy setting. 35(10):651-658.

Sahrmann S. Are physical therapists fulfilling their responsibilities as diagnosticians? [guest editorial]. 35(9):556-558.

Sasaki M. Cervical cord compression secondary to ossification of the posterior longitudinal ligament. 35(11):722-729.

Stowell T, Cioffredi W, Greiner A, Cleland JA. Abdominal differential diagnosis in a patient referred to a physical therapy clinic for low back pain. 35(11):755-764.

Thein-Nissenbaum J, Boissonnault WG. Differential diagnosis of spondylolysis in a patient with chronic low back pain. 35(5):319-326.

Weishaar MD, McMillian DJ, Moore JH. Identification and management of 2 femoral shaft stress injuries. 35(10):665-673.

Wilk KE, Reinold MM, Dugas JR, Arrigo CA, Moser MW, Andrews JR. Current concepts in the recognition and treatment of superior labral (SLAP) lesions. 35(5):273-291.

Direct Access

Asavasopon S, Jankoski J, Godges JJ. Clinical diagnosis of vertebrobasilar insufficiency: resident's case problem. 35(10):645-650.

Biederman RE. Pharmacology in rehabilitation: nonsteroidal anti-inflammatory agents. 35(6):356-367.

Browder DA, Erhard RE. Decision making for a painful hip: a case requiring referral. 35(11):738-744.

Childs JD, Flynn TW, Fritz JM, Piva SR, Whitman JM, Wainner RS, Greenman PE. Screening for vertebrobasilar insufficiency in patients with neck pain: manual therapy decision-making in the presence of uncertainty. 35(5):300-306.

Childs JD, Whitman JM. Advancing physical therapy practice: the accountable practitioner [guest editorial]. 35(10):624-627.
Davenport TE, Watts HG, Kulig K, Resnik C. Current status and correlates of physicians' referral diagnoses for physical therapy. 35(9):572-579.
Deyle GD. Musculoskeletal imaging in physical therapist practice. 35(11):708-721.
Fritz JM, Flynn TW. Autonomy in physical therapy: less is more [guest editorial]. 35(11):696-698.
Garber MB. Diagnostic imaging and differential diagnosis in 2 case reports. 35(11):745-754.
Johnson MP, Abrams SL. Historical perspectives of autonomy within the medical profession: considerations for 21st century physical therapy practice. 35(10):628-636.
Mamula CJ, Erhard RE, Piva SR. Cervical radiculopathy or Parsonage-Turner syndrome: differential diagnosis of a patient with neck and upper extremity symptoms. 35(10):659-664.
Moore JH, Goss DL, Baxter RE, DeBerardino TM, Mansfield LT, Fellows DW, Taylor DC. Clinical diagnostic accuracy and magnetic resonance imaging of patients referred by physical therapists, orthopaedic surgeons, and nonorthopaedic providers. 35(2):67-71
Moore JH, McMillian DJ, Rosenthal MD, Weishaar MD. Risk determination for patients with direct access to physical therapy in military health care facilities. 35(10):674-678.
Murphy BP, Greathouse DG, Matsui I. Primary care physical therapy practice models. 35(11):699-707.
Ross MD, Bayer E. Cancer as a cause of low back pain in a patient seen in a direct access physical therapy setting. 35(10):651-658.
Sahrmann S. Are physical therapists fulfilling their responsibilities as diagnosticians? [guest editorial]. 35(9):556-558.
Sasaki M. Cervical cord compression secondary to ossification of the posterior longitudinal ligament. 35(11):722-729.
Scherer SA, Noteboom JT, Flynn TW. Cardiovascular assessment in the orthopaedic practice setting. 35(11):730-737.
Stowell T, Cioffredi W, Greiner A, Cleland JA. Abdominal differential diagnosis in a patient referred to a physical therapy clinic for low back pain. 35(11):755-764.
Thein-Nissenbaum J, Boissonnault WG. Differential diagnosis of spondylolysis in a patient with chronic low back pain. 35(5):319-326.
Weishaar MD, McMillian DJ, Moore JH. Identification and management of 2 femoral shaft stress injuries. 35(10):665-673.
Young BA, Flynn TW. Pulmonary emboli: the differential diagnosis dilemma. 35(10):637-644.

Education

Boissonnault WG, Bryan JM. Thrust joint manipulation clinical education opportunities for professional degree physical therapy students. 35(7):416-423.
Henry SM, Westervelt KC. The use of real-time ultrasound feedback in teaching abdominal hollowing exercises to healthy subjects. 35(6):338-345.
King PM. The manipulation education manual: support for evidence-based education [guest editorial]. 35(7):407-408.
Teyhen DS, Miltenberger CE, Deiters HM, Del Toro YM, Pulliam JN, Childs JD, Boyles RE, Flynn TW. The use of ultrasound imaging of the abdominal drawing-in maneuver in subjects with low back pain. 35(6):346-355.

Elbow

Lake AW, Sitler MR, Stearne DJ, Swanik CB, Tierney R. Effectiveness of prophylactic hyperextension elbow braces on limiting active and passive elbow extension prephysiological and postphysiological loading. 35(12):837-843.
Waugh EJ. Lateral epicondylalgia or epicondylitis: what's in a name? [guest editorial]. 35(4):200-202.

Electrical Stimulation

Mizner RL, Petterson SC, Snyder-Mackler L. Quadriceps strength and the time course of functional recovery after total knee arthroplasty. 35(7):424-436.
Parker MG, Keller L, Evenson J. Torque responses in human quadriceps to burst-modulated alternating current at 3 carrier frequencies. 35(4):239-245.

Electromyography

Bolgla LA, Uhl TL. Electromyographic analysis of hip rehabilitation exercises in a group of healthy subjects. 35(8):487-494.
Hess SA, Richardson C, Darnell R, Friis P, Lisle D, Myers P. Timing of rotator cuff activation during shoulder external rotation in throwers with and without symptoms of pain. 35(12):812-820.
Zazulak BT, Ponce PL, Straub SJ, Medvecky MJ, Avedisian L-A, Hewett TE. Gender comparison of hip muscle activity during single-leg landing. 35(5):292-299.

Epidemiology

Peacock N, Walker JA, Fogg R, Dudley K. Prevalence of low back pain in alpine ski instructors. 35(2):106-110.

Falls

Arnold CM, Busch AJ, Schachter CL, Harrison L, Olszynski W. The relationship of intrinsic fall risk factors to a recent history of falling in older women with osteoporosis. 35(7):452-460.

First Ray

Glasoe WM, Getsoian S, Myers M, Komnick M, Kolkebeck D, Oswald W, Liakos P. Criterion-related validity of a clinical measure of dorsal first ray mobility. 35(9):589-593.

Flexibility

Decoster LC, Cleland J, Altieri C, Russell P. The effects of hamstring stretching on range of motion: a systematic literature review. 35(6):377-387.

Piva SR, Goodnite EA, Childs JD. Strength around the hip and flexibility of soft tissues in individuals with and without patellofemoral pain syndrome. 35(12):793-801.

Youdas JW, Krause DA, Hollman JH, Harmsen WS, Laskowski E. The influence of gender and age on hamstring muscle length in healthy adults. 35(4):246-252.

Foot

Buchanan KR, Davis IS. The relationship between forefoot, midfoot, and rearfoot static alignment in pain-free individuals. 35(9):559-566.

Garber MB. Diagnostic imaging and differential diagnosis in 2 case reports. 35(11):745-754.

Glasoe WM, Getsoian S, Myers M, Komnick M, Kolkebeck D, Oswald W, Liakos P. Criterion-related validity of a clinical measure of dorsal first ray mobility. 35(9):589-593.

Jennings J, Davies GJ. Treatment of cuboid syndrome secondary to lateral ankle sprains: a case series. 35(7):409-415.

Menz HB, Munteanu SE. Validity of 3 clinical techniques for the measurement of static foot posture in older people. 35(8):479-486.

Wadsworth DJS, Eadie NT. Conservative management of subtle Lisfranc joint injury: a case report. 35(3):154-164.

Forearm

Kelly R, Beehn C, Hansford A, Westphal KA, Halle JS, Greathouse DG. Effect of fluidotherapy on superficial radial nerve conduction and skin temperature. 35(1):16-23.

Fractures

Hancock MJ, Herbert RD, Stewart M. Prediction of outcome after ankle fracture. 35(12):786-792.

Weishaar MD, McMillian DJ, Moore JH. Identification and management of 2 femoral shaft stress injuries. 35(10):665-673.

Hamstring

Decoster LC, Cleland J, Altieri C, Russell P. The effects of hamstring stretching on range of motion: a systematic literature review. 35(6):377-387.

Youdas JW, Krause DA, Hollman JH, Harmsen WS, Laskowski E. The influence of gender and age on hamstring muscle length in healthy adults. 35(4):246-252.

Hand

Bielefeld T, Neumann DA. The unstable metacarpophalangeal joint in rheumatoid arthritis: anatomy, pathomechanics, and physical rehabilitation considerations. 35(8):502-520.

Heat/Physical Agents

Kelly R, Beehn C, Hansford A, Westphal KA, Halle JS, Greathouse DG. Effect of fluidotherapy on superficial radial nerve conduction and skin temperature. 35(1):16-23.

Hip

Bolgla LA, Uhl TL. Electromyographic analysis of hip rehabilitation exercises in a group of healthy subjects. 35(8):487-494.

Browder DA, Erhard RE . Decision making for a painful hip: a case requiring referral. 35(11):738-744.

Denton J, Willson JD, Ballantyne BT, Davis IS. The addition of the Protonics brace system to a rehabilitation protocol to address patellofemoral joint syndrome. 35(4):210-219.

Negus V, Hopper D, Briffa NK. Associations between turnout and lower extremity injuries in classical ballet dancers. 35(5):307-318.

Piva SR, Goodnite EA, Childs JD. Strength around the hip and flexibility of soft tissues in individuals with and without patellofemoral pain syndrome. 35(12):793-801.

Weishaar MD, McMillian DJ, Moore JH. Identification and management of 2 femoral shaft stress injuries. 35(10):665-673.

Zazulak BT, Ponce PL, Straub SJ, Medvecky MJ, Avedisian L-A, Hewett TE. Gender comparison of hip muscle activity during single-leg landing. 35(5):292-299.

Joint Manipulation/Mobilization

Beneck GJ, Kulig K, Landel RF, Powers CM. The relationship between lumbar segmental motion and pain response produced by a posterior-to-anterior force in persons with nonspecific low back pain. 35(4):203-209.

Boissonnault WG, Bryan JM. Thrust joint manipulation clinical education opportunities for professional degree physical therapy students. 35(7):416-423.

Brenner AK. Use of lumbosacral region manipulation and therapeutic exercises for a patient with a lumbosacral transitional vertebra and low back pain. 35(6):368-376.

Cleland JA, Whitman JM, Fritz JM, Palmer JA. Manual physical therapy, cervical traction, and strengthening exercises in patients with cervical radiculopathy: a case series. 35(12):802-811.

Jennings J, Davies GJ. Treatment of cuboid syndrome secondary to lateral ankle sprains: a case series. 35(7):409-415.

King PM. The manipulation education manual: support for evidence-based education [guest editorial]. 35(7):407-408.

Knee

Denton J, Willson JD, Ballantyne BT, Davis IS. The addition of the Protonics brace system to a rehabilitation protocol to address patellofemoral joint syndrome. 35(4):210-219.

Hamstra-Wright KL, Swanik CB, Ennis TY, Swanik KA. Joint stiffness and pain in individuals with patellofemoral syndrome. 35(8):495-501.

Houck JR, Duncan A, De Haven KE. Knee and hip angle and moment adaptations during cutting tasks in subjects with anterior cruciate ligament deficiency classified as noncopers. 35(8):531-540.

Jensen R, Hystad T, Baerheim A. Knee function and pain related to psychological variables in patients with long-term patellofemoral pain syndrome. 35(9):594-600.

Mizner RL, Petterson SC, Snyder-Mackler L. Quadriceps strength and the time course of functional recovery after total knee arthroplasty. 35(7):424-436.

Nyland J, Lachman N, Kocabey Y, Brosky J, Altun R, Caborn D. Anatomy, function, and rehabilitation of the popliteus musculotendinous complex. 35(3):165-179.

Parker MG, Keller L, Evenson J. Torque responses in human quadriceps to burst-modulated alternating current at 3 carrier frequencies. 35(4):239-245.

Piva SR, Goodnite EA, Childs JD. Strength around the hip and flexibility of soft tissues in individuals with and without patellofemoral pain syndrome. 35(12):793-801.

Roi GS, Creta D, Nanni G, Marcacci M, Zaffagnini S, Snyder-Mackler L. Return to official Italian first division soccer games within 90 days after anterior cruciate ligament reconstruction: a case report. 35(2):52-66.

Watson CJ, Propps M, Ratner J, Zeigler DL, Horton P, Smith SS. Reliability and responsiveness of the lower extremity functional scale and the anterior knee pain scale in patients with anterior knee pain. 35(3):136-146.

Wilk KE. Are there speed limits in rehabilitation? [guest editorial]. 35(2):50-51.

Zazulak BT, Ponce PL, Straub SJ, Medvecky MJ, Avedisian L-A, Hewett TE. Gender comparison of hip muscle activity during single-leg landing. 35(5):292-299.

Lower Extremity

Buchanan KR, Davis IS. The relationship between forefoot, midfoot, and rearfoot static alignment in pain-free individuals. 35(9):559-566.

Constantinou M, Vicenzino B. Differential diagnosis of a soft tissue mass in the calf. 35(2):88-94.

Decoster LC, Cleland J, Altieri C, Russell P. The effects of hamstring stretching on range of motion: a systematic literature review. 35(6):377-387.

Denton J, Willson JD, Ballantyne BT, Davis IS. The addition of the Protonics brace system to a rehabilitation protocol to address patellofemoral joint syndrome. 35(4):210-219.

Glasoe WM, Getsoian S, Myers M, Komnick M, Kolkebeck D, Oswald W, Liakos P. Criterion-related validity of a clinical measure of dorsal first ray mobility. 35(9):589-593.

Hancock MJ, Herbert RD, Stewart M. Prediction of outcome after ankle fracture. 35(12):786-792.

Houck JR, Duncan A, De Haven KE. Knee and hip angle and moment adaptations during cutting tasks in subjects with anterior cruciate ligament deficiency classified as noncopers. 35(8):531-540.

Jennings J, Davies GJ. Treatment of cuboid syndrome secondary to lateral ankle sprains: a case series. 35(7):409-415.

Jensen R, Hystad T, Baerheim A. Knee function and pain related to psychological variables in patients with long-term patellofemoral pain syndrome. 35(9):594-600.

Mizner RL, Petterson SC, Snyder-Mackler L. Quadriceps strength and the time course of functional recovery after total knee arthroplasty. 35(7):424-436.

Nyland J, Lachman N, Kocabey Y, Brosky J, Altun R, Caborn D. Anatomy, function, and rehabilitation of the popliteus musculotendinous complex. 35(3):165-179.

Piva SR, Goodnite EA, Childs JD. Strength around the hip and flexibility of soft tissues in individuals with and without patellofemoral pain syndrome. 35(12):793-801.

Roi GS, Creta D, Nanni G, Marcacci M, Zaffagnini S, Snyder-Mackler L. Return to official Italian first division soccer games within 90 days after anterior cruciate ligament reconstruction: a case report. 35(2):52-66.

van Os AG, Bierma-Zeinstra SBM, Verhagen AP, de Bie RA, Luijsterburg PAJ, Koes BW. Comparison of conventional treatment and supervised rehabilitation for treatment of acute lateral ankle sprains: a systematic review of the literature. 35(2):95-105.

Wadsworth DJS, Eadie NT. Conservative management of subtle Lisfranc joint injury: a case report. 35(3):154-164.

Watson CJ, Propps M, Ratner J, Zeigler DL, Horton P, Smith SS. Reliability and responsiveness of the lower extremity functional scale and the anterior knee pain scale in patients with anterior knee pain. 35(3):136-146.

Wilk KE. Are there speed limits in rehabilitation? [guest editorial]. 35(2):50-51.

Youdas JW, Krause DA, Hollman JH, Harmsen WS, Laskowski E. The influence of gender and age on hamstring muscle length in healthy adults. 35(4):246-252.

Zazulak BT, Ponce PL, Straub SJ, Medvecky MJ, Avedisian L-A, Hewett TE. Gender comparison of hip muscle activity during single-leg landing. 35(5):292-299.

Lumbar Spine

Beneck GJ, Kulig K, Landel RF, Powers CM. The relationship between lumbar segmental motion and pain response produced by a posterior-to-anterior force in persons with nonspecific low back pain. 35(4):203-209.

Brenner AK. Use of lumbosacral region manipulation and therapeutic exercises for a patient with a lumbosacral transitional vertebra and low back pain. 35(6):368-376.

King PM. The manipulation education manual: support for evidence-based education [guest editorial]. 35(7):407-408.

George SZ, Bialosky JE, Donald DA. The centralization phenomenon and fear-avoidance beliefs as prognostic factors for acute low back pain: a preliminary investigation involving patients classified for specific exercise. 35(9):580-588.

Lin S-I, Lin R-M. Disability and walking capacity in patients with lumbar spinal stenosis: association with sensorimotor function, balance, and functional performance. 35(4):220-226.

Peacock N, Walker JA, Fogg R, Dudley K. Prevalence of low back pain in alpine ski instructors. 35(2):106-110.

Ropponen A, Gibbons LE, Videman T, Battié MC. Isometric back extension endurance testing: reasons for test termination. 35(7):437-442.

Ross MD, Bayer E. Cancer as a cause of low back pain in a patient seen in a direct access physical therapy setting. 35(10):651-658.

Stowell T, Cioffredi W, Greiner A, Cleland JA. Abdominal differential diagnosis in a patient referred to a physical therapy clinic for low back pain. 35(11):755-764.

Thein-Nissenbaum J, Boissonnault WG. Differential diagnosis of spondylolysis in a patient with chronic low back pain. 35(5):319-326.

Magnetic Resonance Imaging

Beneck GJ, Kulig K, Landel RF, Powers CM. The relationship between lumbar segmental motion and pain response produced by a posterior-to-anterior force in persons with nonspecific low back pain. 35(4):203-209.

Moore JH, Goss DL, Baxter RE, DeBerardino TM, Mansfield LT, Fellows DW, Taylor DC. Clinical diagnostic accuracy and magnetic resonance imaging of patients referred by physical therapists, orthopaedic surgeons, and nonorthopaedic providers. 35(2):67-71

Manual Therapy

Beneck GJ, Kulig K, Landel RF, Powers CM. The relationship between lumbar segmental motion and pain response produced by a posterior-to-anterior force in persons with nonspecific low back pain. 35(4):203-209.

Boissonnault WG, Bryan JM. Thrust joint manipulation clinical education opportunities for professional degree physical therapy students. 35(7):416-423.

Brenner AK. Use of lumbosacral region manipulation and therapeutic exercises for a patient with a lumbosacral transitional vertebra and low back pain. 35(6):368-376.

Cleland JA, Whitman JM, Fritz JM, Palmer JA. Manual physical therapy, cervical traction, and strengthening exercises in patients with cervical radiculopathy: a case series. 35(12):802-811.

King PM. The manipulation education manual: support for evidence-based education [guest editorial]. 35(7):407-408.

Jennings J, Davies GJ. Treatment of cuboid syndrome secondary to lateral ankle sprains: a case series. 35(7):409-415.

Medical Imaging

Constantinou M, Vicenzino B. Differential diagnosis of a soft tissue mass in the calf. 35(2):88-94.

Deyle GD. Musculoskeletal imaging in physical therapist practice. 35(11):708-721.

Garber MB. Diagnostic imaging and differential diagnosis in 2 case reports. 35(11):745-754.

Henry SM, Westervelt KC. The use of real-time ultrasound feedback in teaching abdominal hollowing exercises to healthy subjects. 35(6):338-345.

Hodges PW. Ultrasound imaging in rehabilitation: just a fad? [guest editorial]. 35(6):333-337.

Menz HB, Munteanu SE. Validity of 3 clinical techniques for the measurement of static foot posture in older people. 35(8):479-486.

Moore JH, Goss DL, Baxter RE, DeBerardino TM, Mansfield LT, Fellows DW, Taylor DC. Clinical diagnostic accuracy and magnetic resonance imaging of patients referred by physical therapists, orthopaedic surgeons, and nonorthopaedic providers. 35(2):67-71

Teyhen DS, Miltenberger CE, Deiters HM, Del Toro YM, Pulliam JN, Childs JD, Boyles RE, Flynn TW. The use of ultrasound imaging of the abdominal drawing-in maneuver in subjects with low back pain. 35(6):346-355.

Muscle Injury

Constantinou M, Vicenzino B. Differential diagnosis of a soft tissue mass in the calf. 35(2):88-94.

Muscle Strength

Chiu TTW, Law EYH, Chiu THF. Performance of the craniocervical flexion test in subjects with and without chronic neck pain. 35(9):567-571.

Ropponen A, Gibbons LE, Videman T, Battié MC. Isometric back extension endurance testing: reasons for test termination. 35(7):437-442.

Outcome Measures

Beattie P, Turner C, Dowda M, Michener L, Nelson R. The MedRisk instrument for measuring patient satisfaction with physical therapy care: a psychometric analysis. 35(1):24-32.

George SZ, Bialosky JE, Donald DA. The centralization phenomenon and fear-avoidance beliefs as prognostic factors for acute low back pain: a preliminary investigation involving patients classified for specific exercise. 35(9):580-588.

Jensen R, Hystad T, Baerheim A. Knee function and pain related to psychological variables in patients with long-term patellofemoral pain syndrome. 35(9):594-600.

Watson CJ, Propps M, Ratner J, Zeigler DL, Horton P, Smith SS. Reliability and responsiveness of the lower extremity functional scale and the anterior knee pain scale in patients with anterior knee pain. 35(3):136-146.

Pain

Jensen R, Hystad T, Baerheim A. Knee function and pain related to psychological variables in patients with long-term patellofemoral pain syndrome. 35(9):594-600.

Patellofemoral Joint

Denton J, Willson JD, Ballantyne BT, Davis IS. The addition of the Protonics brace system to a rehabilitation protocol to address patellofemoral joint syndrome. 35(4):210-219.

Jensen R, Hystad T, Baerheim A. Knee function and pain related to psychological variables in patients with long-term patellofemoral pain syndrome. 35(9):594-600.

Piva SR, Goodnite EA, Childs JD. Strength around the hip and flexibility of soft tissues in individuals with and without patellofemoral pain syndrome. 35(12):793-801.

Watson CJ, Propps M, Ratner J, Zeigler DL, Horton P, Smith SS. Reliability and responsiveness of the lower extremity functional scale and the anterior knee pain scale in patients with anterior knee pain. 35(3):136-146.

Patient Satisfaction

Beattie P, Turner C, Dowda M, Michener L, Nelson R. The MedRisk instrument for measuring patient satisfaction with physical therapy care: a psychometric analysis. 35(1):24-32.

Pharmacology

Biederman RE. Pharmacology in rehabilitation: nonsteroidal anti-inflammatory agents. 35(6):356-367.

Postural Stability

Arnold CM, Busch AJ, Schachter CL, Harrison L, Olszynski W. The relationship of intrinsic fall risk factors to a recent history of falling in older women with osteoporosis. 35(7):452-460.

Posture

Borstad JD, Ludewig PM. The effect of long versus short pectoralis minor resting length on scapular kinematics in healthy individuals. 35(4):227-238.

Lewis JS, Wright C, Green A. Subacromial impingement syndrome: the effect of changing posture on shoulder range of movement. 35(2):72-87.

Lin S-I, Lin R-M. Disability and walking capacity in patients with lumbar spinal stenosis: association with sensorimotor function, balance, and functional performance. 35(4):220-226.

McDonnell MK, Sahrmann SA, Van Dillen LR. A specific exercise program and modification of postural alignment for treatment of cervicogenic headache: a case report. 35(1):3-15.

Primary Care

Biederman RE. Pharmacology in rehabilitation: nonsteroidal anti-inflammatory agents. 35(6):356-367.

Murphy BP, Greathouse DG, Matsui I. Primary care physical therapy practice models. 35(11):699-707.

Proprioception

Shields RK, Madhavan S, Cole K. Sustained muscle activity minimally influences dynamic position sense of the ankle. 35(7):443-451.

Psychology

Jensen R, Hystad T, Baerheim A. Knee function and pain related to psychological variables in patients with long-term patellofemoral pain syndrome. 35(9):594-600.

Reliability

Hanchard NCA, Howe TE, Gilbert MM. Diagnosis of shoulder pain by history and selective tissue tension: agreement between assessors. 35(3):147-153.

Menz HB, Munteanu SE. Validity of 3 clinical techniques for the measurement of static foot posture in older people. 35(8):479-486.

Watson CJ, Propps M, Ratner J, Zeigler DL, Horton P, Smith SS. Reliability and responsiveness of the lower extremity functional scale and the anterior knee pain scale in patients with anterior knee pain. 35(3):136-146.

Rotator Cuff

Borstad JD, Ludewig PM. The effect of long versus short pectoralis minor resting length on scapular kinematics in healthy individuals. 35(4):227-238.

Hanchard NCA, Howe TE, Gilbert MM. Diagnosis of shoulder pain by history and selective tissue tension: agreement between assessors. 35(3):147-153.

Hess SA, Richardson C, Darnell R, Friis P, Lisle D, Myers P. Timing of rotator cuff activation during shoulder external rotation in throwers with and without symptoms of pain. 35(12):812-820.

Lewis JS, Wright C, Green A. Subacromial impingement syndrome: the effect of changing posture on shoulder range of movement. 35(2):72-87.

McCabe RA, Nicholas SJ, Montgomery KD, Finneran JJ, McHugh MP. The effect of rotator cuff tear size on shoulder strength and range of motion. 35(3):130-135.

Wilcox III RB, Arslanian LE, Millett PJ. Management of a patient with an isolated greater tuberosity fracture and rotator cuff tear. 35(8):521-530.

Shoulder

Borstad JD, Ludewig PM. The effect of long versus short pectoralis minor resting length on scapular kinematics in healthy individuals. 35(4):227-238.

Hanchard NCA, Howe TE, Gilbert MM. Diagnosis of shoulder pain by history and selective tissue tension: agreement between assessors. 35(3):147-153.

Hess SA, Richardson C, Darnell R, Friis P, Lisle D, Myers P. Timing of rotator cuff activation during shoulder external rotation in throwers with and without symptoms of pain. 35(12):812-820.

Lewis JS, Wright C, Green A. Subacromial impingement syndrome: the effect of changing posture on shoulder range of movement. 35(2):72-87.

McCabe RA, Nicholas SJ, Montgomery KD, Finneran JJ, McHugh MP. The effect of rotator cuff tear size on shoulder strength and range of motion. 35(3):130-135.

Wilcox III RB, Arslanian LE, Millett PJ. Management of a patient with an isolated greater tuberosity fracture and rotator cuff tear. 35(8):521-530.

Wilcox III RB, Arslanian LE, Millett PJ. Total shoulder arthroplasty rehabilitation. 35(12):821-836.

Wilk KE, Reinold MM, Dugas JR, Arrigo CA, Moser MW, Andrews JR. Current concepts in the recognition and treatment of superior labral (SLAP) lesions. 35(5):273-291.

Skiing

Peacock N, Walker JA, Fogg R, Dudley K. Prevalence of low back pain in alpine ski instructors. 35(2):106-110.

Statistics

Menz HB. Analysis of paired data in physical therapy research: time to stop double-dipping? [guest editorial]. 35(8):477-478.

Stretching

Decoster LC, Cleland J, Altieri C, Russell P. The effects of hamstring stretching on range of motion: a systematic literature review. 35(6):377-387.

Total Knee Arthroplasty

Mizner RL, Petterson SC, Snyder-Mackler L. Quadriceps strength and the time course of functional recovery after total knee arthroplasty. 35(7):424-436.

Ultrasound

Henry SM, Westervelt KC. The use of real-time ultrasound feedback in teaching abdominal hollowing exercises to healthy subjects. 35(6):338-345.

Hodges PW. Ultrasound imaging in rehabilitation: just a fad? [guest editorial]. 35(6):333-337.

Teyhen DS, Miltenberger CE, Deiters HM, Del Toro YM, Pulliam JN, Childs JD, Boyles RE, Flynn TW. The use of ultrasound imaging of the abdominal drawing-in maneuver in subjects with low back pain. 35(6):346-355.

Upper Extremity

Bielefeld T, Neumann DA. The unstable metacarpophalangeal joint in rheumatoid arthritis: anatomy, pathomechanics, and physical rehabilitation considerations. 35(8):502-520.

Borstad JD, Ludewig PM. The effect of long versus short pectoralis minor resting length on scapular kinematics in healthy individuals. 35(4):227-238.

Hanchard NCA, Howe TE, Gilbert MM. Diagnosis of shoulder pain by history and selective tissue tension: agreement between assessors. 35(3):147-153.

Hess SA, Richardson C, Darnell R, Friis P, Lisle D, Myers P. Timing of rotator cuff activation during shoulder external rotation in throwers with and without symptoms of pain. 35(12):812-820.

Lewis JS, Wright C, Green A. Subacromial impingement syndrome: the effect of changing posture on shoulder range of movement. 35(2):72-87.

McCabe RA, Nicholas SJ, Montgomery KD, Finneran JJ, McHugh MP. The effect of rotator cuff tear size on shoulder strength and range of motion. 35(3):130-135.

Waugh EJ. Lateral epicondylalgia or epicondylitis: what's in a name? [guest editorial]. 35(4):200-202.

Wilcox III RB, Arslanian LE, Millett PJ. Management of a patient with an isolated greater tuberosity fracture and rotator cuff tear. 35(8):521-530.

Wilk KE, Reinold MM, Dugas JR, Arrigo CA, Moser MW, Andrews JR. Current concepts in the recognition and treatment of superior labral (SLAP) lesions. 35(5):273-291.